Satisfy Professional's Needs

LXT

Cordless Cleaner
DCL283F / DCL284F
DCL285F / DCL286F

	Max air flow	Max sealed suction
DCL283F	1.1 m³/min	17.5 kPa
DCL284F	1.2 m³/min	18 kPa
DCL285F		
DCL286F	1.0 m³/min	



photo: DCL286F

DCL283F



DCL284F



DCL285F



DCL286F



BL MOTOR

photo: DCL284F



photo: DCL283F


photo: DCL285F


photo: DCL286F

High suction power and Low noise level

- Achieved by redesigning the exhaust air flow path of the motor to reduce wind noise.
- Equipped with high-speed BL motor to ensure high suction power.



Low noise

DCL283F

63 [Mode 4] dB(A)

DCL284F
DCL285F **65** [Mode 4] dB(A)

DCL286F **66** [Mode 4] dB(A)

Redesigned Floor/ Carpet T-nozzle

- Redesigned structure reduces the resistance caused by suction, providing smooth running.
- Redesigned inside air flow path reduces the noise made inside the nozzle.



18V LXT BL Cordless Cleaner


Capsule type


Dust capacity **730 mL**



Improved dust-resistance

When capsule is installed securely, two ribs inside capsule press the inside frame of filter to hold the filter tight.





DCL283F

Trigger switch

DCL284F

One-touch push button switch



Paper dust bag type

Dust capacity

Cloth dust bag **500 mL**

Paper dust bag **330 mL**





Improved dust-resistance

Moving stopper prevents front cover from closing if paper dust bag is not installed tight.





DCL285F

One-touch push button switch




High performance dust bag set

High-performance dust bag that matches the shape of the dust collection space of the high vacuum model.




Integrated cyclone unit

Dust capacity **250 mL**



Integrated Cyclone unit

The filter is less clogged due to separation of fine dust through a cyclone air flow, reducing the decrease in vacuum power of cleaner.



the amount of dust that can be sucked before filter maintenance

DCL286F

One-touch push button switch



Easy filter setting

Filter can be fixed with a single push.



Trigger switch + Sliding lock-on switch

(DCL283F only)

allows for long continuous cleaning with less fatigue.




By moving ❶ sliding lock-on switch to ON position, ❷ interlocking trigger switch can be locked on for continuous cleaning.

4-suction power mode selection with mode memory function


(DCL284F / DCL285F / DCL286F only)

- The cleaner can memorize a previous power mode and resume vacuuming at the same mode as last time user turned off for user convenience.
- Power mode can be selected before the cleaner is turned on.



Single LED job light

also functions as a battery capacity warning lamp.




Pipe locking mechanism

Pipe is fixed with the locking mechanism to prevent it from accidentally coming off.



Pipe with beveled end

Cleaning of tight places can be done without nozzle by using the beveled end of pipe as a nozzle.



Accessories

Snow-white | Makita-blue | Black

Nozzle assembly*
For floor
Part No.
- 127825-8
- 127827-4
- 127828-2



Nozzle assembly
For floor/carpet
Part No.
- 191X06-4



Nozzle assembly
For floor
Part No.
- 123486-2
- 123488-8
- 123539-7



Sheet Nozzle
Part No.
- 199038-1
- 199041-2
- 199039-9



Flexible hose
Part No. 191E30-3



Flexible hose
Part No.
- 198868-7
- 198545-1
- 198547-7



Sash nozzle*
Part No.
- 413770-6
- 413859-0
- 413809-5



Long sash nozzle
Part No.
- 198919-6
- 198990-0
- 198992-6



Nozzle holder*
Part No.
- 459354-6
- 459355-4
- 459038-6



Round brush
Part No.
- 198878-4
- 198553-2
- 198555-8



Crevice nozzle 415
Part No. 199439-3



Shelf brush
Part No.
- 198873-4
- 198538-8
- 198540-1



Straight pipe set 340
For Cyclone attachment set
Part No.
- 191D76-3
- 191D78-9
- 191D77-1




Straight pipe with pipe lock*
Part No.
- 459353-8
- 459356-2
- 458942-6



Straight pipe with pipe lock
Part No.
- 1910Y3-1

L: 479-719mm



Tool bag set
Part No. 199901-8
LxWxH:
600x210x
190mm



DCL283F / DCL284F only

Filter set
10pcs /set
Part No.
198915-4



Pre-filter
Part No.
198751-8



Easy shake off filter B set
Part No.
199966-0



Filter H set
Part No.
199989-8
HEPA filter



DCL283F / DCL284F / DCL285F only

Cyclone attachment set with pipe lock
Part No.
- 191D71-3
- 191D73-9




Holder Set
Part No. 199971-7




DCL285F only

Dust bag set
(cloth)
Part No.
198747-9



Paper filter set
5pcs/set
Part No. 198745-3
10pcs/set
Part No. 198744-5



High performance dust bag set
Part No.
1910M4-5



DCL283F / DCL284F / DCL286F only

Cyclone unit set
Part No.
- 1910D3-4
- 1910D4-2
- 1910D5-0



Only for Cyclone unit set

High performance filter set
Part No.
1910C7-9



Filter H set
Part No.
1910C9-5
HEPA filter



*Standard Equipment

Charging Time

18V LITHIUM-ION	Fast Charging DC18RC	DC18SD
BL1815N 1.5Ah	15 min	30 min
BL1820B 2.0Ah	24 min	45 min
BL1830B 3.0Ah	22 min	60 min
BL1840B 4.0Ah	36 min	90 min
BL1850B 5.0Ah	45 min	110 min
BL1860B 6.0Ah	55 min	130 min

Cordless Cleaner

DCL283F / DCL284F / DCL285F / DCL286F

4 Electronic 4-Speed
DCL284F/DCL285F/
DCL286F only

Built-in Job Light

	DCL283F	DCL284F	DCL285F	DCL286F
Capacity	*730 mL*	*730 mL*	*Normal dust bag / Paper filter: 500 / 330 mL*	*Cyclone: 250 mL*
Continuous Use	*w/ BL1830B: 10 min*	*w/ BL1830B, Mode 1 / 2 / 3 / 4: 38 / 21 / 15 / 8*	*w/ BL1830B, Mode 1 / 2 / 3 / 4: 38 / 21 / 15 / 8*	*w/ BL1830B, Mode 1 / 2 / 3 / 4: 38 / 21 / 15 / 8*
Max air flow	*1.1 m^3/min*	*1.2 m^3/min*	*1.2 m^3/min*	*1.0 m^3/min*
Max sealed suction	*17.5 kPa*	*18 kPa*	*18 kPa*	*18 kPa*
Noise level	*63 dB(A)*	*Mode 1 / 2 / 3 / 4: 54 / 60 / 62 / 65 dB(A)*	*Mode 1 / 2 / 3 / 4: 54 / 60 / 62 / 65 dB(A)*	*Mode 1 / 2 / 3 / 4: 55 / 60 / 62 / 66 dB(A)*
Dimensions (L x W x H)	*w/o Pipe & Nozzle, w/ BL1830B: 503 x 113 x 155 mm (19-3/4 x 4-7/16 x 6-1/8") w Pipe & Nozzle, w/ BL1830B: 1,066 x 113 x 155 mm (42 x 4-7/16 x 6-1/8")*	*w/o Pipe & Nozzle, w/ BL1830B: 503 x 113 x 153 mm (19-3/4 x 4-7/16 x 6") w Pipe & Nozzle, w/ BL1830B: 1,066 x 113 x 153 mm (42 x 4-7/16 x 6")*	*w/o Pipe & Nozzle, w/ BL1830B: 503 x 113 x 153 mm (19-3/4 x 4-7/16 x 6") w Pipe & Nozzle, w/ BL1830B: 1,066 x 113 x 153 mm (42 x 4-7/16 x 6")*	*w/o Pipe & Nozzle, w/ BL1830B: 543 x 113 x 177 mm (21-3/8 x 4-7/16 x 7") w Pipe & Nozzle, w/ BL1830B: 1,106 x 113 x 177 mm (43-1/2 x 4-7/16 x 7")*
Net weight	*1.3 - 1.6 kg (2.9 - 3.5 lbs.)*	*1.3 - 1.6 kg (2.9 - 3.5 lbs.)*	*1.4 - 1.7 kg (3.1 - 3.7 lbs.)*	*1.6 - 1.9 kg (3.5 - 4.2 lbs.)*

Standard Equipment : Nozzle assembly, Sash nozzle, Nozzle holder, Straight pipe, Easy shake off filter EX (DCL283F, DCL284F), Easy shake off dust bag (DCL285F), Paper dust bag (DCL285F), Easy shake off filter (DCL286F), Battery, Charger

The weight does not include accessories but battery cartridge(s). The lightest and heaviest combination weight of the appliance and battery cartridge(s) are shown in the table.
Items of standard equipment and specifications may vary by country or area.

Makita Corporation
3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 202302