Satisfy Professional's Needs

XGT

Makita® Cordless Pin Nailer PT001G

XGT 40V max Li-ion



Firing quickness

about 20% UP

Work volume on a single full battery charge

about 6,000 shots

Battery: BL4025

BL MOTOR XPT

XGT 40V max Li-ion


Quick firing thanks to BL motor



BL MOTOR

Use of BL motor and redesigned driving spring shortens the time required to compress and release the spring, providing drastically quicker firing.

Firing quickness about 20% UP



Beautiful finish




Improved Driver durability

achieved by redesigning the shape of the driver tip and reducing thin places.



Low recoil mechanism

- enables easier nailing of long pins without pushing down the pin nailer firmly.
- achieves high-quality finish nailing.



Work volume on a single full battery charge

about **6,000** shots

Battery: BL4025

Pin nails

Diameter ø0.6 mm

Length

15/18/25/30/35 mm

Compact & Lightweight

226 mm



Net weight 2.4 kg

Battery: BL4025

Contact arm mechanism

enables "continuous nailing" and "drag nailing". [If the nose tip isn't pressed to a workpiece, the trigger cannot be pulled.]





Nose tip (with Nose adapter)

thickness **4** mm



Fires both vertically and horizontally

Nails can be fired in the groove of baseboard.





Ergonomically designed grip



Nose tip designed to provide better visibility

Single LED job light



with pre-glow and after-glow functions

Driving depth adjustment by dial



- **Able to drive up to 35mm pin nails**
- **Anti-dry fire mechanism**


XPT



eXtreme Protection Technology

XGT 40Vmax Li-ion

High Power
Durability
Digital Communication





XGT 40Vmax Li-ion | XGT X2 80Vmax


Rotary Hammer


Demolition Hammer

Grass Trimmer

Cordless Pin Nailer Series

DPT353

18V LITHIUM-ION



PT354D

12Vmax LITHIUM-ION



Accessories

Nose adapter

Part No. 422872-7

Nose adapter for flat nailing





Charging Time

40Vmax Li-ion	Fast Charging DC40RA	DC40RC
*1 **BL4020** 2.0Ah	**22** min	**30** min
*1 **BL4025** 2.5Ah	**28** min	**38** min
BL4040 4.0Ah	**45** min	**67** min
BL4050F 5.0Ah	**50** min	**85** min

*1 Recommended battery

Cordless Pin Nailer

PT001G

- Depth Adjustment
- Auto Firing Stop
- Built-in Job Light
- Carrying Case

Capacity	*Length: 15, 18, 25, 30, 35 mm (5/8, 11/16, 1, 1-3/16, 1-3/8")* *Dia.: 0.6 mm (1/32")* *Gauge: 23 Ga*
Magazine Capacity	*120*
Approx. work volume on a full battery charge	*6,000*
Vibration Level	*2.5 m/s² or less*
Sound Pressure Level	*79 dB(A)*
Dimensions (L x W x H)	*w/ BL4020 / BL4025: 265 x 86 x 226 mm (10-3/8 x 3-3/8 x 8-7/8")*
Net weight	*2.4 - 3.0 kg (5.3 - 6.6 lbs.)*

Standard Equipment : Nose Adapter, Safety Goggles, Belt Clip, Hex Wrench, Battery, Charger

The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014, are shown in the table.
Items of standard equipment and specifications may vary by country or area.

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 202201