Satisfy Professional's Needs

XGT

Makita® Cordless Grass Trimmer UR013G / UR014G

XGT 40V max Li-ion



UR013G



UR014G

Exclusively for use with nylon cutting head, with Reverse rotation mode





Max Output

1.5 kW (with BL4080F)

BL MOTOR AFT

XGT 40V max Li-ion

High pow


photo: UR013G

Multi functional control panel: near right hand position for easy access and operation



High output power




BL MOTOR

Max Output
1.5 kW
(with BL4080F)

AFT

Active Feedback sensing Technology

Torque limiter turns the motor off if the tool is suddenly forced to lock



High-torque mode

- Applicable to heavy duty operation.
- Recommended for heavy-duty operation where particularly high torque is required, such as shredding operation.

Low noise

Model UR013G (w/ Plastic blade) **95 dB(A)**

Model UR014G (w/ Nylon cutting head) **93 dB(A)**

Guaranteed value according to European Outdoor Noise Directive 2000/14/EC (with the blade which generates the highest noise levels)

Run Time

Model UR013G **81-11 min**

Model UR014G **51-18 min**

Low speed - Max. speed

with Nylon cutting head and BL4050F on a single full battery charge / No load

IPX4-compatible




Enhanced Dust and Drip-proof Performance




UR013G only

Tool-less handle angle adjustment



Left/right separate type bike handle

wer as 35cc engine tool



UR013G
Offset bike Handle

UR014G
Loop-Handle

Exclusively for use with nylon cutting head




UR014G only

Reverse rotation mode




- Counterclockwise blade rotation/ Clockwise blade rotation can be selected to suit the user's preferences or needs; for example, when he/she desires to control the scattering direction of grass clippings in such an operation as cutting a lawn beside driveway (with memory function).
- Press and hold the mode selection button for Counterclockwise blade rotation/ Clockwise blade rotation (with memory function).

Counterclockwise blade rotation



By trimming Counterclockwise

Clockwise blade rotation



By trimming Clockwise

Shredder blade/ Chisel blade can be used.






270mm Shredder blade





225mm Chisel blade

Grass tangles removing function



Reverse rotation or Grass tangles removing function

Accessories

For UR013G

Chisel blade
Part No. 199872-9
Blade dia.: 225mm



Protector 225 set MG
Part No. 1911Y0-3





Shredder blade
Part No. 199874-5
Blade dia.: 270mm



Protector set MG
Part No. 1911Y1-1





Brushcutter blade

Blade dia	2-tooth blade	3-tooth blade	4-tooth blade
255mm	198345-9	195299-1	196895-8

Plastic blade

Cutting width	Plastic blade Set	Replacement plastic blade
305mm	199868-0	199870-3



Trimmer head
Part No. 199884-2
Cord/Line: 2.7mm
Ref. : 105-M10L



Part No. 1911Y2-9
Cord/Line: 2.7mm
Ref. : 121-M10L



For UR014G

Trimmer head
Part No. 1911Y3-7
Cord/Line: 2.7mm
Ref. : 121SP
Spline-engaged with the sleeve of Cutter shaft







Shoulder strap assembly
Comfort
Part No.122A37-4 Part No.199378-7





Shoulder strap assembly
Single
Part No.127759-5







UR013G, UR014G

Four-leaf Spiral Nylon cord

Red



Size	Part No.
2.7mmx15m	E-01828
2.7mmx30m	E-01834
2.7mmx180m	E-01840



Charging Time

	Fast Charging DC40RA	DC40RC
BL4020 2.0Ah	22 min	30 min
BL4025 2.5Ah	28 min	38 min
BL4040 4.0Ah	45 min	67 min
*1BL4050F 5.0Ah	50 min	85 min
*1BL4080F 8.0Ah	76 min	170 min

*1 Recommended battery

Cordless Grass Trimmer

UR013G / UR014G

- Variable Speed
- Brake
- Reversing (UR014G only)
- Constant Speed
- Soft Start

		UR013G	UR014G
Cutting Width	*Metal blade:*	*255 mm (10")*	-
	Chisel blade:	*225 mm (8-7/8")*	-
	Nylon Cutting Head:	*450 mm (17-3/4")*	*450 mm (17-3/4")*
	Shredder blade:	*270 mm (8-7/8")*	-
	Plastic Blade:	*305 mm (12")*	-
No Load Speed (RPM)	*Metal blade:*	*3,500-6,700*	-
	Nylon Cutting Head:	*3,500-5,000*	*4,000 - 5,000*
Spindle size		*M10 x 1.25 LH*	*M10 x 1.25 LH*
Dimensions (L x W x H)	*Tool only*	*1,863 x 690 x 546 mm (73-1/2 x 27-1/4 x 21-1/2")*	*1,857 x 330 x 304 mm (73 x 13 x 12")*
	w/ Nylon cutting head and BL4080F:	*1,966 x 690 x 546 mm (77-1/2 x 27-1/4 x 21-1/2")*	*1,958 x 330 x 304 mm (77 x 13 x 12")*
Net weight		*5.9 - 7.2 kg (13.0 - 15.9 lbs.)*	*5.5 - 6.7 kg (12.1 - 14.8 lbs.)*

Standard Equipment : Metal blade (UR013G only) / Nylon cutting head / Plastic blade (UR013G only), Tool cover (UR013G only), Accessory bag, Hex wrench, Box driver, Shoulder belt, Battery, Charger

The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014, are shown in the table.
Items of standard equipment and specifications may vary by country or area.

Makita Corporation
3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 202302