
Exploded view:Model .MB1301



Part list					
No.	**description**	**Q'TY**	**No.**	**description**	**Q'TY**
1	right cover	1	70	LOGO label	1
2	thickness indicate label	1	71	carbon brush holder cover	2
3	upper cover label	1	72	carbon brush holder	2
4	hex nut M4	8	73	carbon brush	2
5	cross recessed pan head tapping screw ST3.9×8	15	74	main case warning label	1
6	cross recessed pan head screw M4×10	21	75	hex nut M16×1.5（8mm）	1
7	cross recessed pan head screw M4×14	6	76	small pulley	1
8	handle	2	77	big running wheel	1
9	upper cover	1	78	flat key 5x5x10	1
10	rise-descend handle support arm	1	79	internal circlip 47	1
11	rise-descend direction label	1	80	deep groove ball bearing 6204RS	1
12	elastic cylindrical pin 4X35	1	81	knife blade	2
13	rise-descend handle seat	1	82	knife Blade pressure plate	2
14	rise-descend handle seat cover	1	83	Screw M6X12	16
15	rise-descend calibration label	1	84	knife shaft components	1
16	rise-descend handle	1	85	deep groove ball bearing 6203RS	1
17	rise-descend handle screws	1	86	cross recessed pan head screw M4×20	1
18	rise-descend handle cover	1	87	upper belt cover	1
19	hexagon socket button head screw M8X14	4	88	lower belt cover	1
20	cable clamp	2	89	Multi wedge belt (6 groove 348 length)	1
21	lable	2	90	depth indicate label	1
22	left cover	1	91	cross recessed pan head screw M4×12	23
23	chip cover	1	92	Body	1
24	hexagon socket head cap screw M6×12	9	93	cross recessed pan head tapping screw ST4.8×12	2
25	Cross slot pan head self extrusion screw M4×10	2	94	thickness Pointer	1
26	T30 Plum wrench	1	95	hexagon socket head cap screw M6×16	2
27	warning label	1	96	cable sleeve	1
28	Cross slot pan head self extrusion screw M4×10	2	97	flat washer 5(φ5.5×φ16×2)	4
29	dust cover	1	98	standard spring washer 5	5

30	dust cover plate	1	99	cross recessed pan head screw M5×12	10
31	cable 2X1.0m㎡	1	100	upper Chain cover	1
32	cable sheath	1	101	lower Chain cover	1
33	speed reduce cover plate	1	102	cross recessed pan head screw M4×30	2
34	cross recessed pan head tapping screw ST3.9×14	2	103	chain 1 (30 link)	1
35	cable press plate (pitch 17)	1	104	chain 2 (26 link)	1
36	capacitance (0.33, total length 90mm)	1	105	shaft sleeve	1
37	speed reduce cover	1	106	square bearing	4
38	overcurrent protective device (68A-10A)	1	107	bearing press plate	4
39	overcurrent protective device nut	1	108	prompt label 1	1
40	specification label	1	109	nut M6	1
41	switch panel	1	110	stepped screw	1
42	switch（AN-17)	1	111	thickness leaf spring components	1
43	cross recessed pan head tapping screw ST3.9×14	4	112	roller 1	1
44	connecting wire (1m²*100mm)	1	113	cross recessed pan head screw M4×8	5
45	cross recessed pan head tapping screw ST4.8×80	2	114	roller 2	1
46	speed reducer	1	115	thickness name plate	1
47	flat washer 6(φ6.5×φ18×2)	3	116	roller pressure spring 1	2
48	chain wheel	4	117	roller pressure spring 2	2
49	iron bush 152012	1	118	prompt label 2	1
50	output shaft	1	119	left lead screw	1
51	copper bush 081210	2	120	guide rod	4
52	second level gear shaft	1	121	base plate extension plate	2
53	steel ball 3	3	122	cross recessed pan head screw M4×8	4
54	second level big gear	1	123	base plate extension supporting arm	4
55	woodruff key 4X5X13	1	124	width repositioning plate	2
56	copper bush 061008	2	125	screw clamp	2
57	first level gear shaft	1	126	base plate	1
58	first level big gear	1	127	hexagon bolt M6X20	4
59	cylindrical pin 6X20	2	128	hex nut M6	4
60	Third stage large gear	1	129	bevel	4
61	iron bush 121612	1	130	bevel cover	2

62	middle cover	1	131	rail seat	2
63	deep groove ball bearing 6200RS	1	132	hexagon socket head cap screw M6X8	4
64	rotor	1	133	rise-descend rail	1
65	deep groove ball bearing 6201RS	1	134	hexagon socket head cap screw M8X20	4
66	cross recessed pan head tapping screw ST4.8X75	6	135	extension plate spring washer	2
67	stator	1	136	panel	1
68	Windshield ring	1	137	right lead screw	1
69	housing	1			