
RAGNI

HOT NEW PRODUCTS

Sponges for Tiling, Plastering, Rendering, Concrete & Floor Laying.







TOOLS OF THE TRADE LIMITED

EXCLUSIVE TO TOOLS OF THE TRADE

RAGNI

CEMENT & CONCRETE

A selection of Ragni's robust sponge range for cement & floor laying.



RS210-CMA



Coarse sponge dampens surfaces prior to troweling final finish.

- Coarse medium cell sponge
- Lightweight ABS handle
- 15mm sponge thickness
- Length 220mm
- Width 140mm

RS280-CMA





Coarse sponge dampens surfaces prior to troweling final finish.

- Coarse medium cell sponge
- Lightweight ABS handle
- 15mm sponge thickness
- Length 280mm
- Width 140mm

RS220-HTA





25mm coarse sponge float dampens surfaces prior to troweling final finish.

- Coarse medium cell sponge
- Lightweight ABS handle
- 25mm sponge thickness
- Length 220mm
- Width 140mm

RS280-HTA





25mm coarse sponge float dampens surfaces prior to troweling final finish.

- Coarse medium cell sponge
- Lightweight ABS handle
- 25mm sponge thickness
- Length 280mm
- Width 140mm

RS210-HFBL





Trowel sponge with hard resilient surface 14mm thick mainly for cement finishing.

- Hard fine cell sponge
- Lightweight ABS handle
- 14mm sponge thickness
- Length 220mm
- Width 140mm

PLASTER & RENDER WORK

A selection of Ragni's robust sponge range for plaster & render work.



Aluminium base & wood effect handle


RS280-CMW



Float soft wide sponge pores deal for dampening walls. Smooths over plaster to open up surface before final trowel finishing.

- Coarse medium cell sponge
- Aluminium base & wood effect handle
- 15mm sponge thickness
- Length 280mm
- Width 140mm

RS210-CMW



Float soft wide sponge pores deal for dampening walls. Smooths over plaster to open up surface before final trowel finishing.

- Coarse medium cell sponge
- Aluminium base & wood effect handle
- 25mm sponge thickness
- Length 220mm
- Width 140mm

TILING

Replacable robust sponge for tiling. Ideal for cleaning tiles.



RS280-HYA

RAGNI HYDROCELL CLEANING SPONGE TROWEL

Hydro sponge with 'click fix' handle takes RS280 HydroR replacement sponge. Has a very high absorption rate.

- Hydrocell sponge
- Lightweight ABS click-fit handle
- 40mm sponge thickness
- Length 280mm
- Width 140mm

RS280-HYRS

HYDRO REPLACEMENT 'CLICK FIT' SPONGE





TOOLS OF THE TRADE LIMITED,
Hazledine House, Saxon Business Park, Hanbury Road,
Bromsgrove, Worcestershire B60 4AD
T: **+44 (0)1527 579666** F: **+44 (0)1527 579644**
E: **sales@tools-trade.net** W: **www.toolsofthetrade.co.uk**