Specifications

Eaton 193206

Catalog Number: 193206

Eaton xEnergy Basic LV systems Low voltage switchgear. Cable arrangement plinth for floor standing distribution board IP54, HxWxD=200x850x400mm, grey



General specifications

Product Name	**Catalog Number**
Eaton xEnergy Basic base element	193206
Model Code	**EAN**
BPZ-KR8.52/400	9010238007604
Product Length/Depth	**Product Height**
400 mm	200 mm
Product Width	**Product Weight**
850 mm	9.5 kg
Compliances	
RoHS conform	

Powering Business Worldwide

Product specifications

Type

Additional equipment

Surface finishing

With powder coating

Color

Light gray (RAL 7035)

Gray

Degree of protection

IP54

Load capacity - max

300 kg

RAL-number

7035

Suitable for enclosure building length/depth

400 mm

Suitable for enclosure building width

850 mm

Suitable for length/depth

400 mm

Suitable for width

850 mm

Material

Steel

Sheet steel

Housing material

Sheet steel

Model

Base complete

Mounting method

Floor standing distribution board

Suitable for

Cable patch

Functions

Additional equipment

Impact strength

Other

Resources

Brochures

eaton-xenergy-basic-light-brochure-br014024-en-us.pdf

Catalogs

eaton-distribution-boards-xenergy-basic-catalog-ca014010en-en-us.pdf

Flyers

eaton-xenergy-basic-profisnap-flyer-fl019008en-en-us.pdf

Sales notes

eaton-f3a-flange-flyer-fl019005en-en-us.pdf



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia