Rittal – The System.

Faster – better – everywhere.

# CMC III CAN bus connection cable – DK 7030.093

Date : Apr 27, 2021

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

# CMC III CAN bus connection cable – DK 7030.093

created: 27.04.2021 build on www.rittal.com/uk-en



## Product description

| | |
|---|---|
| **Description:** | For connecting the PU to the CAN bus sensors III, units III and control units III as a bus, also for cabling together. Because it is available in different lengths, the CMC III system can be adapted to various applications and built to a custom design. |
| **Applications:** | For connecting the CAN bus units.<br>Information and power transfer of the individual CAN bus units. |

## Product description

| | |
|---|---|
| **Dimensions:** | Length: 2 m |
| **Operating temperature:** | Operation (environment): +0 °C...+55 °C |
| **Ambient humidity (non-condensing):** | Operation (environment): 5 % - 95 % |
| **Interfaces/connections:** | Connector (type): RJ45<br>Connector (type): RJ45 |
| **Packs of:** | 1 pc(s). |
| **Weight/pack:** | 0.09 kg |
| **Copper weight (kg per piece):** | 0 |
| **EAN:** | 4028177659445 |
| **Customs tariff number:** | 85444290 |

| | |
|---|---|
| **ETIM 7.0:** | EC000313 |
| **ETIM 6.0:** | EC000313 |
| **eCl@ss 8.0/8.1:** | 27189253 |
| **eCl@ss 6.0/6.1:** | 27189253 |
| **Product description:** | DK CMC III CAN bus connection cable, L: 2 m, type: RJ45 |

## Approvals

| | |
|---|---|
| **Certificates:** | NA |