**Technical Specifications**

# SAFESCAPE ELITE WITH HANDWHEEL



## Description:

The next generation rescue solution.
Miller Safescape ELITE complies with the new EN 341/2008 standard.
Thanks to its durable high-quality anodized aluminium housing, our units remains in optimum condition of use, even in the toughest environments.
8000m descent for 100kg, maximum descent height of 500m, use in emergency by 2 people weighing up to 250kg.
Recertification by factory or Miller Service Point is required only after seven years, thanks to its robust and highly resistant components.
Available in several lenghts (see references below) and also a range of accessories for rescuing.



## Features:

**Housing** : Anodized Aluminium

**Mecanism** : Aluminium Pulley

**Weight** (without rope) : 1.8 Kg

**Karabiner** : Dim. : 134 * 75 mm, Opening : 20 mm

**Descend speed**: 1m / second

Rope : 10,5 polyamide rope (EN 1891) Equipped with 2 karabiners on each end.

HONEYWELL FALL PROTECTION FRANCE SAS
35-37 rue de la Bidauderie
F - 18100 Vierzon - France
Tel : +33 2 48 52 40 40
Fax : +33 2 48 71 04 97
Web site : www.honeywellsafety.com

**References**:

Available lengths :

| Ref | Miller SafEscape ELITE TM w/ Handwheel |
|---|---|
| 1028769 | SAFESCAPE ELITE +Handwheel w/ 20m rope |
| 1028770 | SAFESCAPE ELITE +Handwheel w/ 30m rope |
| 1028771 | SAFESCAPE ELITE +Handwheel w/ 40m rope |
| 1028772 | SAFESCAPE ELITE +Handwheel w/ 50m rope |
| 1028773 | SAFESCAPE ELITE +Handwheel w/ 60m rope |
| 1028774 | SAFESCAPE ELITE +Handwheel w/ 70m rope |
| 1028775 | SAFESCAPE ELITE +Handwheel w/ 80m rope |
| 1028776 | SAFESCAPE ELITE +Handwheel w/ 90m rope |
| 1028777 | SAFESCAPE ELITE +Handwheel w/ 100m rope |
| 1028778 | SAFESCAPE ELITE +Handwheel w/ 110m rope |
| 1028779 | SAFESCAPE ELITE +Handwheel w/ 120m rope |
| 1028780 | SAFESCAPE ELITE +Handwheel w/ 130m rope |
| 1028781 | SAFESCAPE ELITE +Handwheel w/ 140m rope |
| 1028782 | SAFESCAPE ELITE +Handwheel w/ 150m rope |
| 1028783 | SAFESCAPE ELITE +Handwheel w/ 160m rope |
| 1028784 | SAFESCAPE ELITE +Handwheel w/ 170m rope |
| 1028785 | SAFESCAPE ELITE +Handwheel w/ 180m rope |
| 1028786 | SAFESCAPE ELITE +Handwheel w/ 190m rope |
| 1028787 | SAFESCAPE ELITE +Handwheel w/ 200m rope |



Delivered into the red rescue bag 1010190 or 1010191 or 1029340 (according to the length of rope).

Comply with New standard EN 341: 2008
EN 1496
ISO 22159
ANSI Z359.4-2007

***LAW of 19 MARCH 93***

PPE are products classified in category III, mortal risks, and as such they have to be the object of a periodic inspection for less than twelve months at the time of its use by the qualified person.

For more information, please contact our technical team at 02 48 52 40 42 or by e-mail techniserv.hsp@honeywell.com

HONEYWELL FALL PROTECTION FRANCE SAS
35-37 rue de la Bidauderie
F - 18100 Vierzon - France
Tel : +33 2 48 52 40 40
Fax : +33 2 48 71 04 97
Web site : www.honeywellsafety.com

HONEYWELL FALL PROTECTION FRANCE SAS
35-37 rue de la Bidauderie
F - 18100 Vierzon - France
Tel : +33 2 48 52 40 40
Fax : +33 2 48 71 04 97
Web site : www.honeywellsafety.com