TEGERA®

TEGERA® 517

Synthetic leather glove, winter-lined, 0,7 mm synthetic leather, polyester, fleece, Cat. II, black, green, chrome free, waterproof, hook-and-loop, for precision work



AQUATHAN®

PROPERTIES

Good fingertip sensitivity, flexible, good grip, good fit, comfortable

SPECIFICATION

TYPE OF GLOVE **Cold insulation gloves**

CATEGORY **Cat. II**

SIZE RANGE (EU) **6, 7, 8, 9, 10, 11, 12**

PALM MATERIAL **Synthetic leather**

PALM THICKNESS **0,7 mm**

BACK MATERIAL **Polyester**

LINING **Winter-lined**

LINING MATERIAL **Fleece**

DEXTERITY **3**

FASTENING **Hook-and-loop**

LENGTH RANGE **235-255 mm**

COLOUR **Black, Green**

PAIRS PER PACKAGE/CARTON **6/60**

PIECES PER BOX **0**

DISPLAY **Hook with hangtag** OUTER MATERIAL SPECIFICATION **Polyurethane, polyester, natural latex**

MIDDLE MATERIAL SPECIFICATION **Polyethylene**

INNER MATERIAL SPECIFICATION **Polyester**

SIZE	ART. NO.	EAN NO.
6	517-6	7340118328836
7	517-7	7340118328959
8	517-8	7392626070745
9	517-9	7392626070769
10	517-10	7392626070707
11	517-11	7392626070721
12	517-12	7340118330693

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

TEGERA®



CE Cat. II

EN 420:2003 + A1:2009 | EN 388:2016 1121X | EN 511:2006 111

TEGERA® 517

FEATURES
Chrome free, reinforced index finger, reinforced fingertips, windproof, short model, waterproof

PREVENTS RISK OF
Chrome allergy, abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt, drying out, chapping, contact with moisture, contact with damp, contact with cold

PRIMARY ENVIRONMENTS OF USE
Windy environments, slippery environments, dry environments, cold environments, wet environments, moist environments, oily and greasy environments, dirty environments

PRIMARY AREAS OF USE
Airport work, building and construction, carpentry, construction, installation work, machine driving, machine operating, soil preparation, transport work

PRIMARY INDUSTRIES OF USE
Automotive, transportation, utilities, logistics, HoReCa, facilities, service, retail

TYPE OF WORK
Light weight

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-01-21

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB
Box 7, SE-793 21 Leksand, Sweden
Phone +46 (0) 247 360 00
Fax +46 (0) 247 360 10
info@ejendals.com
order@ejendals.com
www.ejendals.com

TEGERA®

TEGERA® 517



CE Cat. II

EN 420:2003 + A1:2009 | EN 388:2016 1121X | EN 511:2006 111

EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	1	(4)
b) Cut resistance (Index)	1	(5)
c) Tear resistance (N)	2	(4)
d) Puncturing resistance (N)	1	(4)
e) Cut resistance, EN ISO 13997 (N)	X	(F)
f) Impact protection, EN 13594:2015		(P)

EN 388 – Testing
(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ⩽ 9 kN)

EN 511:2006 Protective gloves against cold

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-01-21

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB
Box 7, SE-793 21 Leksand, Sweden
Phone +46 (0) 247 360 00
Fax +46 (0) 247 360 10
info@ejendals.com
order@ejendals.com
www.ejendals.com