Specifications

Eaton 272483

Catalog Number: 272483

Eaton Distribution parts. Transformator 230V, 4/8/12V, 2/2/1, 5A, 2HP



General specifications

Product Name	**Catalog Number**
Eaton Distribution parts	272483
EAN	**Product Length/Depth**
4015082724832	55 mm
Product Height	**Product Width**
90 mm	36 mm
Product Weight	**Compliances**
0.358 kg	RoHS conform

Powering Business Worldwide

Product specifications

Features

Modular version

Short-circuit protected

Temperature protection

Transformer type

Standard bell ringing transformer

Ambient operating temperature - max

40 °C

Ambient operating temperature - min

-25 °C

Heat dissipation capacity

0 W

Heat dissipation per pole, current-dependent

0 W

Output power - max

0 W

Power loss - max

0 W

Rated operational current for specified heat dissipation (In)

0 A

Secondary rated current 1

2 A

Secondary rated current 2

2 A

Secondary rated current 3

1.5 A

Secondary voltage rating 1

4 V

Secondary voltage rating 2

8 V

Secondary voltage rating 3

12 V

Static heat dissipation, non-current-dependent

0 W

Width in number of modular spacings

2

Resources

Declarations of conformity

DA-DC-03_TR-G

03_tr-g_060917.pdf

Wiring diagrams

Mas_TR

Equipment heat dissipation, current-dependent

7.02 W

Suitable for

Surface mounting

Output current - max

0 A

Primary voltage

230 V

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia