Specifications

# Eaton 286660



## Catalog Number: 286660

Eaton xEnergy Basic LV systems Low voltage switchgear. Base frame Surface-mounting Installation distribution board HxW=1060x600mm

### General specifications

| | |
|---|---|
| **Product Name** | **Catalog Number** |
| Eaton xEnergy Basic other accessory | 286660 |
| **EAN** | **Product Length/Depth** |
| 4015082866600 | 50 mm |
| **Product Height** | **Product Width** |
| 1080 mm | 615 mm |
| **Product Weight** | **Compliances** |
| 10.2 kg | RoHS conform |

Powering Business Worldwide

## Product specifications

### Used with

Accessory consideration

Accessory

Service distribution board IVS

Wall-mounting distribution system

### Special features

Can be grouped, symmetrical mounting, comprehensive system holing Including floor panel, 4 mounting towers and screws

### Type

Accessory Service distribution board IVS Wall-mounting distribution system

### Accessory/spare part type

Other

Base frame

Mounting frame

Spare part

### Surface finishing

Galvanized

### Degree of protection

IP30

### Unit type

Modular system

### Suitable for height

1060 mm

### Suitable for width

600 mm

### Material

Sheet steel

### Mounting method

Surface mounting

### Functions

Additional equipment

## Resources

### Brochures

eaton-xenergy-basic-light-brochure-br014024-en-us.pdf

### Catalogs

eaton-distribution-boards-xenergy-basic-catalog-ca014010en-en-us.pdf

### Declarations of conformity

DA-DC-03_xEnergy_Basic_BP

### Sales notes

eaton-f3a-flange-flyer-fl019005en-en-us.pdf




Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia