TECHNICAL DATASHEET

7413 // PRO STEP

Shoe upper:	Textile, black / blue
Outsole:	Nitrile / EVA, black / grey
Size(s):	36-48
Packaging unit:	10 pairs
Certification:	EN ISO 20345, EN 61340-4-3, DGUV Rule 112-191



EN 61340-4-3

Climate class 1

529 g

SB | S1 | S2 | S3 | HI | MF

SRA | SRB | SRC | P | HRO | CI

Description

NITRAS PRO STEP, safety shoes, S1P, durable textile, black / blue (colour code: 1022), seamless upper, tough nitrile / EVA outsole, black / grey, fibreglass toe cap, textile perforation resistant midsole, metal-free, premium insock 700C // COMFORT STEP, ergonomically formed, sporty design, highest slip resistance (SRC), width 11, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, DGUV Rule 112-191-certified, ESD-capable

Performance features

Category:	S1P
Anti-Slip:	SRC
Further features:	Closed seat region
	Antistatic properties
	Energy absorption of seat region
	Resistance to fuel oil
	Penetration resistance
	Cleated outsole
EN 61340-4-3:	Climate class 1, dissipative (ESD-capable)

AS Arbeitsschutz GmbH | Heinrich-Hertz-Str. 11 | 50181 Bedburg | Germany | Geschäftsführer / Managing Director: Jens Thome, Ingo Kielholtz, Tim Kielholtz | HRB 40080 | Gerichtsstand Köln | USt.-IdNr.: DE121851940

+49 2272 9060 0 info@nitras-safety.com www.nitras-safety.com

TECHNICAL DATASHEET

7413 // PRO STEP

Shoe upper:	Textile, black / grey
Outsole:	Nitrile / EVA, black / grey
Size(s):	36-48
Packaging unit:	10 pairs
Certification:	EN ISO 20345, EN 61340-4-3, DGUV Rule 112-191



EN 61340-4-3

Climate class 1

529 g

SB | S1 | S2 | S3 | HI | MF

SRA | SRB | SRC | P | HRO | CI

Description

NITRAS PRO STEP, safety shoes, S1P, durable textile, black / grey (colour code: 1012), seamless upper, tough nitrile / EVA outsole, black / grey, fibreglass toe cap, textile perforation resistant midsole, metal-free, premium insock 700C // COMFORT STEP, ergonomically formed, sporty design, highest slip resistance (SRC), width 11, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, DGUV Rule 112-191-certified, ESD-capable

Performance features

Category:	S1P
Anti-Slip:	SRC
Further features:	Closed seat region
	Antistatic properties
	Energy absorption of seat region
	Resistance to fuel oil
	Penetration resistance
	Cleated outsole
EN 61340-4-3:	Climate class 1, dissipative (ESD-capable)

AS Arbeitsschutz GmbH | Heinrich-Hertz-Str. 11 | 50181 Bedburg | Germany | Geschäftsführer / Managing Director: Jens Thome, Ingo Kielholtz, Tim Kielholtz | HRB 40080 | Gerichtsstand Köln | USt.-IdNr.: DE121851940

+49 2272 9060 0 info@nitras-safety.com www.nitras-safety.com

TECHNICAL DATASHEET

7413 // PRO STEP

Shoe upper:	Textile, black / lime
Outsole:	Nitrile / EVA, black / grey
Size(s):	36-48
Packaging unit:	10 pairs
Certification:	EN ISO 20345, EN 61340-4-3, DGUV Rule 112-191



EN 61340-4-3

Climate class 1

529 g

SB | S1 | S2 | S3 | HI | MF

SRA | SRB | SRC | P | HRO | CI

Description

NITRAS PRO STEP, safety shoes, S1P, durable textile, black / lime (colour code: 1042), seamless upper, tough nitrile / EVA outsole, black / grey, fibreglass toe cap, textile perforation resistant midsole, metal-free, premium insock 700C // COMFORT STEP, ergonomically formed, sporty design, highest slip resistance (SRC), width 11, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, DGUV Rule 112-191-certified, ESD-capable

Performance features

Category:	S1P
Anti-Slip:	SRC
Further features:	Closed seat region
	Antistatic properties
	Energy absorption of seat region
	Resistance to fuel oil
	Penetration resistance
	Cleated outsole
EN 61340-4-3:	Climate class 1, dissipative (ESD-capable)

AS Arbeitsschutz GmbH | Heinrich-Hertz-Str. 11 | 50181 Bedburg | Germany | Geschäftsführer / Managing Director: Jens Thome, Ingo Kielholtz, Tim Kielholtz | HRB 40080 | Gerichtsstand Köln | USt.-IdNr.: DE121851940

+49 2272 9060 0 info@nitras-safety.com www.nitras-safety.com