DATASHEET



BETAETIGER AZ/AZM 415-B2

- Particularly suitable for hinged guards
- For very smal actuating radii in line with the plane of the actuator

Data

Ordering data

Product type description	BETAETIGER AZ/AZM 415-B2
Article number (order number)	101144796
EAN (European Article Number)	4030661134307
eCl@ss number, Version 9.0	27-27-26-06
eCl@ss number, Version 11.0	27-27-26-06

General data

Gross weight	160 g

Mechanical data

Actuating radius, minimum	250 mm
Actuator	straight flexible

Notes

Note (General)	The axis of the hinge must be 36 mm above and in a parallel plane to the top surface of the safety switch. The sockets are equipped with pin holes. The use of dowel pins prevents disassembly of the actuator. By the adjustment of the hexagon socket screws "a", the actuators can be fitted any desired position. This actuator can also be used for sliding doors. Actuating radius adjustable, minimum 250, using an hexagonal key wrench 4 A/F


Pictures

Product picture (catalogue individual photo)




ID: kaz41f13
| 281.7 kB | .jpg | 352.778 x 352.778 mm - 1000 x 1000 px - 72 dpi
| 20.9 kB | .png | 74.083 x 74.083 mm - 210 x 210 px - 72 dpi

Dimensional drawing actuator



ID: 1azm4b02
| 10.0 kB | .png | 74.083 x 51.506 mm - 210 x 146 px - 72 dpi
| 116.7 kB | .jpg | 352.778 x 245.181 mm - 1000 x 695 px - 72 dpi

Dimensional drawing miscellaneous



ID: 5azm4b04
| 50.3 kB | .cdr |
| 130.0 kB | .jpg | 352.778 x 206.375 mm - 1000 x 585 px - 72 dpi

Actuating radius

ID: kazm4r02
| 18.3 kB | .cdr |

Schmersal Ltd., Sparrowhawk Close, WR14 1GL Malvern
The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.
Generated on: 28/10/2021, 17:06