Data Sheet

# USB-C Multiport Adapter with HDMI - USB 3.0 Port - 60W PD - White

Product ID: CDP2HDUACPW




This USB-C™ multiport adapter with HDMI lets you add vital connections to your MacBook or Windows laptop, through a single USB-C port.

## Connect a UHD 4K HDMI Monitor

For maximum productivity, connect your USB-C or Thunderbolt 3 laptop to a 4K 30Hz monitor, using this USB-C to 4K HDMI adapter. You can also connect to an HDMI projector or TV in a boardroom or other meeting space, to deliver presentations on a shared screen.

## Charge Your Laptop

The USB-C adapter lets you power and charge your USB-C laptop during a presentation or while you're working, with a USB-C Power Delivery port. Even if your laptop has only a single USB-C port available, you can keep your laptop powered.

## Add a USB 3.0 Port

This USB-C multiport adapter offers a USB 3.0 port that's backward compatible with older USB devices - ideal for data transfers, syncing, or charging your mobile devices.

## Travel-Friendly Design

The compact all-in-one adapter is a vital accessory for your USB-C laptop. With its small-footprint design, you can take it with you anywhere you would use your laptop.

CDP2HDUACPW is backed by a StarTech.com 3-year warranty and free lifetime technical support.

Note: To ensure full adapter functionality, your laptop’s USB-C port must support USB Power Delivery and DP Alt Mode.

## Certifications, Reports and Compatibility












## Applications

- Multitask faster with an additional, 4K HDMI monitor
- Deliver presentations from your laptop on an HDMI TV or projector
- Charge your laptop with your laptop's USB-C charger, even while the adapter is connected

## Features

- Deliver your presentation on a UHD 4K HDMI monitor with this USB-C video adapter
- Power your laptop with 60W Power Delivery using this multiport adapter and a USB Type-C power adapter
- Connect a USB 3.0 Type-A device, like a flash drive or a mouse, to your Windows or MacBook Pro laptop
- Carry the portable USB-C all-in-one adapter with you wherever you go

| | | |
|---|---|---|
| | Warranty | 3 Years |
| **Hardware** | 4K Support | Yes |
| | Bus Type | USB-C |
| | Chipset ID | VIA/VLI - VL100<br>VIA/VLI - VL210<br>Parade - PS176 |
| | Displays Supported | 1 |
| | Fast-Charge Port(s) | No |
| | Industry Standards | USB 3.0 - Backward compatible with USB 2.0 and 1.1 |
| **Performance** | Maximum Data Transfer Rate | 5 Gbps (USB 3.0) |
| | Maximum Digital Resolutions | 4096 x 2160p @ 24Hz / 3840 x 2160p @ 30Hz<br>Lower resolutions are also supported. |
| | Type and Rate | USB 3.0 - 5 Gbit/s |
| | UASP Support | Yes |
| **Connector(s)** | Connector Type(s) | 1 - USB Type-C (24 pin) USB 3.0 (5Gbps) Male<br>1 - USB-C (24 pin) USB Power Delivery only Female<br>1 - HDMI (19 pin) Female<br>1 - USB Type-A (9 pin) USB 3.0 Female |
| **Special Notes / Requirements** | **Note** | Not all USB-C ports support the full functionality of the USB Type-C standard. Ensure that your host USB-C port supports USB Power Delivery 2.0 and DP alt mode.<br>The adapter can connect to a host laptop's USB-C port that doesn't support USB Power Delivery 2.0. However, in this configuration if a power adapter is connected to the multifunction adapter, it will not pass power through to your host laptop.<br>A 4K-capable display is required to achieve 3840 x 2160p resolution (4K is also known as 4K x 2K)<br>USB 3.0 is also known as USB 3.1 Gen 1; this connectivity standard offers speeds up to 5Gbps. |
| | System and Cable Requirements | A host laptop with an available USB-C port (to ensure full adapter functionality, the host USB-C port must support USB Power Delivery 2.0 and DP alt mode).<br>Optional: USB-C power adapter (for example, your laptop's USB-C based power adapter). |
| **Power** | Power Delivery | 60W |
| | Power Source | USB-Powered |

| | | |
|---|---|---|
| **Environmental** | Humidity | 0~90% RH (Non-condensing) |
| | Operating Temperature | 0°C to 40°C (32°F to 104°F) |
| | Storage Temperature | -20°C to 70°C (-4°F to 158°F) |
| **Physical Characteristics** | Cable Length | 4 in [101 mm] |
| | Color | White |
| | Enclosure Type | Plastic |
| | Product Height | 0.4 in [1.1 cm] |
| | Product Length | 2.4 in [60 mm] |
| | Product Width | 2 in [50 mm] |
| | Weight of Product | 1.3 oz [36 g] |
| **Packaging Information** | Package Height | 1.3 in [32 mm] |
| | Package Length | 6.9 in [17.5 cm] |
| | Package Width | 5.7 in [14.5 cm] |
| | Shipping (Package) Weight | 4.1 oz [117 g] |
| **What's in the Box** | Included in Package | 1 - USB-C to 4K HDMI multifunction adapter |

Product appearance and specifications are subject to change without notice.