Specifications

Eaton 159749

Catalog Number: 159749

Eaton Distribution parts. Fuse switch disconnector, 4p, NH1, AC23, 00



General specifications

Product Name	**Catalog Number**
Eaton Distribution parts	159749
EAN	**Product Length/Depth**
4015081562794	590 mm
Product Height	**Product Width**
149.5 mm	280 mm
Product Weight	**Compliances**
10.601 kg	RoHS conform

Powering Business Worldwide

Product specifications

Features

Motor drive optional

Fitted with:

Connectors

Error protection

Rated operational power at AC-23A, 400 V, 50 Hz

0 kW

Rated permanent current (Iu)

250 A

Rated uninterrupted current (Iu)

250 A

Conditioned rated short-circuit current Iq

100 kA

With error protection

Yes

Number of poles

Four-pole

Rated operation power at AC-23, 400 V

0 kW

Rated short-time withstand current (Icw)

0 kA

Electrical connection type of main circuit

Screw connection

Actuator position

Front side

Actuator type

Long turning handle

Suitable for

Front mounting

Rated conditional short-circuit current (Iq)

100 kA

Suitable for fuses

NH1

Cable entry type

Side

Resources

Declarations of conformity

DA-DC-03_PIFT1

03_pift1_110717.pdf

Installation instructions

IL1470403ZU

Degree of protection (front side)

IP40

Power rating at AC-23, 400 V

0 kW

Rated operating voltage (Ue) at AC - max

690 V

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia