Specifications

Eaton 6NHG0B-690

Catalog Number: 6NHG0B-690

Fuse-link, LV, 6 A, AC 690 V, NH0, gL/gG, IEC, dual indicator, live gripping lugs

General specifications

Product Name
Eaton Bussmann series low voltage NH Fuse

Catalog Number
6NHG0B-690

EAN
5027590486439

Product Length/Depth
125 mm

Product Height
58 mm

Product Width
30 mm

Product Weight
276 g

Compliances
RoHS conform
CE Marked

Product specifications

Type
Fuse

Application
industrial

Amperage Rating
6 A

Current type
AC

Breaking capacity
120 kA

Rated switching capacity
120 kA

Rated voltage AC
690 V

Class
Class gG/gL

Fuse type
Square body with knife blade contact

Utilization category
gL/gG (cable protection/equipment protection)

Interrupt rating
120 kAIC

Fuse indicator
Combination fuse status indicator

Insulated metal gripping lugs (IMGL)
No

Watt losses
2 W

Connection
Blade end

Construction
NH0

Construction size
NH0

Fuse shape

Resources

Catalogs
CA134002EN

eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf

NH Fuse links, bases and gear

Declarations of conformity
CE NH Size 0, 690V fuse-links

UKCA NH Size 0, 690V fuse-links

Multimedia
Eaton Bussmann – NH fuse link portfolio

Presentations
NH Overview Video

Square body

Knife blade contacts

Voltage type

AC

Voltage rating

690 V

Rated switching capacity AC

120 kA

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia