SKINDICHT® ME-M

SKINDICHT® ME-M, enlarger, enables the use of cable glands with larger connection threads than the existing threaded holes



Temperature-resistant

Reliability

Space requirement

Assembly time

Benefits

Enables the use of cable glands with larger connection threads than the existing threaded holes

Application range

Machines
Devices
Housings

Product Make-up

Metric connection thread acc. to DIN EN 60423
Basis for technical information DIN IEC 62444

Technical Data

Classification ETIM 5:	ETIM 5.0 Class-ID: EC000441 ETIM 5.0 Class-Description: Cable screw gland
Classification ETIM 6:	ETIM 6.0 Class-ID: EC000441 ETIM 6.0 Class-Description: Cable screw gland
On request:	with O-ring fitted

Last Update (12.11.2018)
©2018 Lapp Group - Technical changes reserved
Product Management www.lappkabel.de
You can find the current technical data in the corresponding data sheet.
PN 0456 / 02_03.16

SKINDICHT® ME-M

Material:	Nickel-plated brass
Temperature range:	-60 °C to +200 °C

Note
Photographs and graphics are not to scale and do not represent detailed images of the respective products.
Prices are net prices without VAT and surcharges. Sale to business customers only.

©2018 Lapp Group - Technical changes reserved

SKINDICHT® ME-M

Article number	Thread, male M1	Thread, female M2
SKINDICHT® ME-M		
52104450	12 x 1.5	16 x 1.5
52104452	16 x 1.5	20 x 1.5
52104454	20 x 1.5	25 x 1.5
52104456	25 x 1.5	32 x 1.5
52104458	32 x 1.5	40 x 1.5
52104460	40 x 1.5	50 x 1.5
52104462	50 x 1.5	63 x 1.5
SKINDICHT® ME-M hexagon		
52104463	63 x 1.5	75 x 1.5

Last Update (12.11.2018)
©2018 Lapp Group - Technical changes reserved
Product Management www.lappkabel.de
You can find the current technical data in the corresponding data sheet.
PN 0456 / 02_03.16