
Rittal – The System.

Faster – better – everywhere.



TS 4398.500

Support rail 75 x 20 mm


State: 1/2/2023 (Source: rittal.com/in-en)

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

TS 4398.500 - Support rail 75 x 20 mm for VX, TS, VX SE

For heavy installed equipment such as base isolators or transformers.





Features

Model No.	TS 4398.500
Design	unslotted
Product description	For heavy installed equipment such as base isolators or transformers.
Material	Sheet steel
Surface finish	Zinc-plated
Supply includes	Assembly parts
Installation options	On the inner mounting level of the VX enclosure section On the vertical TS enclosure section via snap-on nuts TS 8800.808 or adaptor rails for VX compatibility, height-offset, via TS punched rail 25 x 38 mm On the horizontal TS enclosure section: in the width, in the depth On the VX SE enclosure section in the width (bottom and top) or in the depth (bottom and top) via snap-on nuts 8800.808.
To fit	Enclosure type: VX TS VX SE Width: = 800 mm Depth: = 800 mm
Packs of	4 pc(s).
Weight/pack	9.636 kg

© Rittal 2023

Features

Copper weight (kg per piece)	0
Customs tariff number	73269098
EAN	4028177522794
ETIM 7.0	EC001285
ECLASS 8.0	27189261

Approvals

Approvals	GOST