PRODUCT-DETAILS

260-1400

INDEX EMC M25 CONT CBL G 6-11MM



General Information

Extended Product Type	260-1400
Product ID	7TCA296230R0067
EAN	5016947002422
Catalog Description	INDEX EMC M25 CONT CBL G 6-11MM
Long Description	Cable Gland, Continuous Cable Sheath Allowing for a Ring of Outer Sheath Only to Be Stripped, M25 Thread, 11mm Thread Length, 33.5mm Gland Diameter, 30mm Across Flats Diameter, 6-11mm Cable Diameter Range, Nickel Plated Brass, Stainless Steel Spring, Rubber Seal, IP68

Additional Information

Application	Provide Strain Relief and Connection for Conduit Systems
Product Type	Index EMC Type A Cable Gland

Ordering

EAN	5016947002422
UPC	786210271569

© 2024 ABB. All rights reserved.

Subject to change without notice

Technical

Number of Batteries	0
Color	Brass
Material	Nickel Plated Brass, Stainless Steel Spring, Rubber Seal (TPE-V)
Size	M25

Environmental

WEEE Category	Product Not in WEEE Scope

Container Information

Package Level 1 Units	1 piece
Package Level 1 Height	0.01 in 0.25 mm
Package Level 1 Depth / Length	0.01 in 0.25 mm
Package Level 1 Width	0.01 in 0.25 mm

Certificates and Declarations

Data Sheet, Technical Information	260-1400
Instructions and Manuals	260-1400
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications

ETIM 8	EC000441 - Cable gland
UNSPSC	39121431

Categories

© 2024 ABB. All rights reserved.

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



© 2024 ABB. All rights reserved.