Specifications

Eaton 062993



Catalog Number: 062993

Eaton xEnergy Safety Ci LV systems LV switchgear. Busbar support, for CI enclosure 375mm , 2x hxd=30x10mm

General specifications

Product Name
Eaton xEnergy Safety Ci busbar enclosure accessory

Catalog Number
062993

EAN
4015080629931

Product Length/Depth
15 mm

Product Height
100 mm

Product Width
375 mm

Product Weight
0.263 kg

Compliances
RoHS conform

Powering Business Worldwide

Product specifications

Used with

CI45…
L1, L2, L3: 2 x 30 x 10; PE, N: 30 x 10
CI48…
CI44…
xEnergy Safety Ci
Prepared enclosures
Accessory for busbar enclosures

Special features

Component mounting possible on busbar
Interval between busbar supports max. 375 mm

Type

Accessory for busbar enclosures
Prepared enclosures
xEnergy Safety Ci

Accessory/spare part type

Busbar support

Current rating - max

1000 A

Busbar distance

50 mm

Number of poles

Five-pole

Distance between busbar centers

50 mm

Functions

Prepared enclosure
For use between two enclosures

Rated operation current (Ie)

1000 A

Suitable for

Use between two enclosures

Resources

Brochures

eaton-xenergy-safety-ci-subway-line-success-story-en-us.pdf

eaton-xenergy-safety-ci-enclosure-brochure-br014001en-en-us.pdf

Catalogs

eaton-xenergy-ci-safety-catalog-ca015006en-en-us.pdf

System overview

eaton-insulated-boards-busbar-xenergy-safety-ci-busbar-support-explosion-drawing-003.eps



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia