# SKINTOP® GMP-GL

SKINTOP® GMP-GL, glass fibre-reinforced counter nuts, for maximum mechanical stability, for locking in boreholes without thread



Assembly time

Temperature-resistant

Variety of approval certifications

## Benefits
Glass fibre-reinforced for maximum mechanical stability
Supporting surface for spanner means scratches on the housing are avoided

## Application range
For locking SKINTOP® cable glands in boreholes without thread.

## Norm references / Approvals
UL File Nr. E79903

## Product Make-up
PG connection thread

## Note
UL approval only when used with the UL-approved SKINTOP® polyamide cable glands
Designed for use with SKINTOP® ST(R)

## Technical Data
Classification ETIM 5:

ETIM 5.0 Class-ID: EC000441
ETIM 5.0 Class-Description: Cable screw gland

Last Update (17.04.2022)
©2022 Lapp Group - Technical changes reserved
Product Management www.lappkabel.de
You can find the current technical data in the corresponding data sheet.
PN 0456 / 02_03.16

# SKINTOP® GMP-GL

| | |
|---|---|
| Classification ETIM 6: | ETIM 6.0 Class-ID: EC000441<br>ETIM 6.0 Class-Description: Cable screw gland |
| On request: | Available without collar<br>(without surface for assembling tool) |
| Colour delivered: | Silver grey (RAL 7001)<br>Light grey (RAL 7035)<br>Black (RAL 9005), UV-resistant |
| Material: | Polyamide, glass fibre-reinforced |
| Temperature range: | -20°C to +100°C |

**Note**
Photographs and graphics are not to scale and do not represent detailed images of the respective products.
Prices are net prices without VAT and surcharges. Sale to business customers only.


©2022 Lapp Group - Technical changes reserved

LAPP

# SKINTOP® GMP-GL

PRODUCT INFORMATION

| Article number | Article designation / size | SW wrench size mm | Pieces / PU |
|---|---|---|---|
| SKINTOP® GMP-GL silver grey with collar | | | |
| 53019000 | PG 7 | 19 | 100 |
| 53019010 | PG 9 | 22 | 100 |
| 53019020 | PG 11 | 24 | 100 |
| 53019030 | PG 13,5 | 27 | 100 |
| 53019040 | PG 16 | 30 | 100 |
| 53019050 | PG 21 | 36 | 50 |
| 53019060 | PG 29 | 46 | 50 |
| 53019070 | PG 36 | 60 | 25 |
| 53019080 | PG 42 | 65 | 25 |
| 53019090 | PG 48 | 70 | 25 |
| SKINTOP® GMP-GL black with collar | | | |
| 53019200 | PG 7 | 19 | 100 |
| 53019210 | PG 9 | 22 | 100 |
| 53019220 | PG 11 | 24 | 100 |
| 53019230 | PG 13,5 | 27 | 100 |
| 53019240 | PG 16 | 30 | 100 |
| 53019250 | PG 21 | 36 | 50 |
| 53019260 | PG 29 | 46 | 50 |
| 53019270 | PG 36 | 60 | 25 |
| 53019280 | PG 42 | 65 | 25 |
| 53019290 | PG 48 | 70 | 25 |
| SKINTOP® GMP-GL light grey with collar | | | |
| 53019001 | PG 7 | 19 | 100 |
| 53019011 | PG 9 | 22 | 100 |
| 53019021 | PG 11 | 24 | 100 |
| 53019031 | PG 13,5 | 27 | 100 |
| 53019041 | PG 16 | 30 | 100 |
| 53019051 | PG 21 | 36 | 50 |
| 53019061 | PG 29 | 46 | 50 |
| 53019071 | PG 36 | 60 | 25 |
| 53019081 | PG 42 | 65 | 25 |
| 53019091 | PG 48 | 70 | 25 |

Last Update (17.04.2022)
©2022 Lapp Group - Technical changes reserved
Product Management www.lappkabel.de
You can find the current technical data in the corresponding data sheet.
PN 0456 / 02_03.16

# SKINTOP® GMP-GL





©2022 Lapp Group - Technical changes reserved