Rittal – The System.

Faster – better – everywhere.

Lockable and adjacent door for VX – VX 8618.120

Date : Jun 17, 2019

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

RITTAL

FRIEDHELM LOH GROUP

Lockable and adjacent door for VX – VX 8618.120

created: 17.06.2019 on www.rittal.com/com-en



Product description

Description:	For example, if two 400 mm doors instead of one 800 mm wide door are used to comply with escape routes. May also be fitted instead of an 800 mm wide rear panel.
Material:	Sheet steel
Surface finish:	Dipcoat-primed, powder-coated on the outside
Colour:	RAL 7035
Protection category IP to IEC 60 529:	IP 55
Supply includes:	2 doors incl. tubular door frame Hinges Lock components

Product features

To fit:	Width: = 800 mm Height: = 2000 mm
Packs of:	1 pc(s).
Weight/pack:	40 kg
Copper weight (kg per piece):	0
EAN:	4028177921375

© Rittal 2019

Customs tariff number:	94039010
ETIM 6.0:	EC000747
ETIM 5.0:	EC000747
eCl@ss 8.0/8.1:	27182204
eCl@ss 7.0/7.1:	27182290
eCl@ss 6.0/6.1:	27182290
eCl@ss 5.1/5.1.4:	27182203
Product description:	VX Lockable and adjacent door, for WH: 800x2000 mm

© Rittal 2019