PRODUCT-DETAILS

E299-11

E299-11 Auxiliary Contact



General Information

Extended Product Type	E299-11
Product ID	2CCA704340R0001
EAN	7612270939985
Catalog Description	E299-11 Auxiliary Contact
Long Description	The E299-11 auxiliary contact can be used for impulse switches and installation relays. The E299-11 auxiliary contact is a snap-on additional device that enables individual signalling of the current operating status of the main module via the two integrated contacts.

Technical

Standards	IEC/EN 60669-1 IEC/EN 60669-2-2
Function	Auxiliary Contact
Rated Voltage (U_r)	250 V AC
Maximum Control Current DC	5 A
Rated Frequency (f)	50 Hz
Minimum Switching Capacity	24 V 10 mA
Power Loss	0.1 W
Number of Main Contacts NC	0
Number of Main Contacts NO	0

© 2024 ABB. All rights reserved.

Number of Auxiliary Contacts NC	1
Number of Auxiliary Contacts NO	1
Tightening Torque	1.2 - 1.5 N·m
Accessory Type	Other
Mounting Type	DIN-Rail
Options Provided	1NO+1NC
RAL Number	RAL 7035 - Light Grey
Color	Grey

Material Compliance

RoHS Information	2CCC005102D0201
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20170426
REACH Declaration	2CCC005047D0201
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Ambient Air Temperature	Operation -25...+55 °C Storage -40...+70 °C
Environmental Information	2CCC441012D0202

Dimensions

Product Net Width	18 mm
Product Net Height	85 mm
Product Net Depth / Length	58 mm
Product Net Weight	45 g
Dimension Diagram	9AKK107992A6182

Ordering

Package Level 1 Units	box 10 piece
Package Level 1 Gross Weight	539 g
E-Number (Switzerland)	534349920

Certificates and Declarations

Declaration of Conformity - CE	2CCC005102D0201
Declaration of Conformity - UKCA	9AKK108467A6140
VDE Certificate	VDE E29x 40040851

Installation

Instructions and Manuals	No document needed

© 2024 ABB. All rights reserved.

Popular Downloads

Data Sheet, Technical Information	2CCC441020C0201

Classifications

ETIM 8	EC001652 - Installation relay
ETIM 9	EC001652 - Installation relay
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85362020
eClass	V11.0 : 27371692
Object Classification Code	K

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Command and Signalling Devices → Installation Relays
Low Voltage Products and Systems → Modular DIN Rail Products → Command and Signalling Devices → Latching Relays





© 2024 ABB. All rights reserved.