Specifications

Eaton OPM-1038R

Catalog Number: OPM-1038R

Eaton Bussmann series Optima fuse holders, 30 A (UL/CSA), Three-pole, #10-18 AWG solid, #8-18 AWG, 200 kAIC, Thermoplastic, 600 V (UL/CSA), Use with 13/32 Inches X 1-1/2 Inches KTK, FNM, FNQ



General specifications

Product Name
Eaton Bussmann series Optima fuse holders

Catalog Number
OPM-1038R

UPC
051712797245

Product Length/Depth
0.001 in

Product Height
0.001 in

Product Width
0.001 in

Product Weight
0.535 lb

Warranty
Not Applicable

Compliances
CE Marked
RoHS Compliant

Certifications
Contact Manufacturer
UL Listed
CSA Certified

Powering Business Worldwide

Electrical rating

Amperage Rating

30A (UL/CSA)

Interrupt rating

200 kAIC

Short-circuit rating

200 kA

Voltage rating

600 V (UL/CSA)

Physical details

Material

Thermoplastic

Number of Poles

Three-pole

General information

Connection

#8-18 AWG stranded

#10-18 AWG solid

Used with

For use with 13/32 In X 1-1/2 In KTK, FNM, FNQ Non-Rejection fuse

Resources

Catalogs

Bussmann series full line catalog 1007, section 8 fuse blocks and holders

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - OPM-1038R

Technical data sheets

Bussmann series OPM-1038 non-switch fuse holder no. 1102

OPM-1038R~OPTIMA-FUSE HOLDER MODULE

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia