

TENSATOR®

WALL UNITS


RESTRICT ACCESS WITHOUT TAKING UP FLOOR SPACE.

TENSATOR WALL UNITS

Tensabarrier® Wall Units are ideal for areas requiring periodic access restriction without taking up floor space. As part of the Tensabarrier® product line, the world's original retractable webbing barrier system, our wall units use the same retracting mechanism as the floor standing Tensabarrier® posts.

Tensator's webbing cassettes have an originally patented braking system that incorporates twin brake shoes. This slow retract technology allows the webbing to fall to the floor upon release and then slowly and safely retract back into the post, eliminating the risk of an accident.

INDUSTRY APPLICATIONS



Retail

Close off checkouts, alcohol displays or changing rooms.



Factory / Warehouse

Shut down aisles when using forklifts; use as a hazard warning for empty loading docks; create quarantine areas; or restrict access during maintenance work.



Hospital / Healthcare / Schools

Control or restrict corridor access during maintenance work or cleaning.



Airports / Bus / Train Station

Prevent access to lifts and escalators during periods or close check-in desks.



Museum / Amusement Parks

Mark closed rides, attractions or displays.

HOW TO ORDER

Call: +44 (0) 1908 684600
Email: info@tensator.com

WALL UNITS

891MINI

50mm webbing

Webbing Length:
2.3m & 3.65m

Colours:
Black



Available with a black plastic finish. Smart, stylish and an economical wall unit option.

892N RECESS UNIT

50mm webbing

Webbing Length:
2.3m

Colours:
Black



Designed for mounting in a recess, the 892N features a subtle and discreet front fascia.

896CM REVERSE MOUNT

50mm webbing

Webbing Length:
2.3m

Colours:
Available in the full range of finishes.



The webbing cassette is reversed on the mounting bracket which allows the unit to be concealed and installed flush against a wall surface.

896 HEAVY DUTY

50mm webbing

Webbing Length:
896: 2.3m
896 HC: 3.65m

Colours:
Available in the full range of finishes.



Our robust and long-lasting unit is ideal for industrial environments. Easy to install and extremely durable.

897/899

50mm webbing

Webbing Length:
897: 4.6m
899: 7.7/9.0m

Colours:
Body: Black
Caps: Red, Chrome, Black, Yellow & Polished Chrome



Available in a variety of housing colours, the 897 provides long length barriers that are both practical and appealing.

897P

150mm webbing

Webbing Length:
2.0m

Colours:
Body: Black
Caps: Red, Chrome, Black, Yellow & Satin Chrome



Whether used with a standard webbing colour or with a preprinted message, this 150mm wide belt ensures that your message will stand out.

180 ROTATING WALL UNIT

50mm webbing

Webbing Length:
2.3m & 3.65m

Colours:
Body: Comes as standard with black fixing unit and yellow rotating head unit



Can cordon off any area within 180 degrees. Its rotating cassette holder enables one unit to cordon off at any angle within the 180 degrees quickly and easily without multiple units.



XL WALL UNIT

50mm webbing

Webbing Length:
23m

Colours:
Body: Comes as standard in yellow

The XL wall unit offers the longest webbing barrier on the market with 23 meters of black and yellow anti-static NightView™ reflective webbing. It creates a highly visible solution to improve visual safety within a health and safety environment. It is the ideal solution for cordoning off large areas such as entrances, exits and loading bays.

MOUNTING OPTIONS

Tensabarrier® wall units offer a choice of 6 mounting options and make installation on any surface a possible.




Standard Mount

Easily and securely screw onto a wall or sturdy surface. Three screws are concealed by end caps for discreet mounting.



Removable (semi permanent)

Slides onto a mounting plate which is screwed into a wall, providing a semi-permanent installation.



Warehouse Rack Mount

Clips to the keyholes on standard warehouse racking for instant mounting and removal.



Glass Mount

Strong adhesive pads attach the wall mount to any glass surface.



Clamp Mount

Ideal for mounting to an upright such as a pole or warehouse storage rack. Simply tighten screws on the hose clamp for fast, secure mounting.



Magnetic Mount

Powerful magnets fasten the wall unit to almost any metal surface. Can be removed with a simple twist and pull motion.

turn over for tape end & webbing options >>

TAPE END OPTIONS

STANDARD

Standard Tape End*


Includes the 898 Wall Receiver, which is screw mounted to the opposite wall.



OTHER OPTIONS

Wire Clip Tape End

A metal clip secures the belt end by looping around an upright and clipping back on the webbing. Ideal where the clamp mount is used and attaching a wall receiver is not practical.



Panic Break Tape End*

Provides a panic breakaway in both directions, allowing for a fast exit in an emergency. Supplied with the 898 Wall Receiver, which is screw-mounted to the opposite wall.



Magnetic Tape End

The tape end contains a magnet, so that the webbing can be attached to metal surfaces without the need for a wall receiver.



* Wall receivers are supplied with all wall units ordered with the standard and panic break belt end.

WEBBING OPTIONS

All Tensabarrier® webbing is made from heavy duty woven polyester and has an 1,100 lb. breaking strain. Tensator's webbing is weather resistant and will last for years without fraying or fading.

50mm OPTIONS

Available in nearly 40 vibrant colours, Tensabarrier® webbing is also offered with 12 preprinted safety messages. Custom messages and logo designs can be produced in any number of colours by digital printing processes.

Standard 50mm Printed Messages

Order code shown in bold

Cleaning in progress
YC

LIFT OUT OF SERVICE
YL**

Authorised Access Only
RA

Beware Open Pit
YO

Caution - Do Not Enter
YA

Danger Forklift Trucks
YG**

No Entry
RB

EMERGENCY EXIT
GE

*Message printed on one side only,
**Webbing not available in 3.65m
Due to printing limitations, actual webbing colours may vary slightly from colours shown

150mm OPTIONS

Available in 8 vibrant colours, 150mm wide webbing are also offered with 4 preprinted safety messages. Custom messages and logo designs can be produced in any number of colours by digital printing processes.

Standard 150mm Printed Messages

Order code shown in bold

AUTHORIZED ACCESS ONLY
RAW

NO ENTRY
RBW

CAUTION - DO NOT ENTER
YAW

NIGHTVIEW™ REFLECTIVE WEBBING

The world's first interwoven reflective webbing, available as a standard 50mm webbing depth. It secures hazardous areas in a highly visible way – perfect for low light conditions creating a safer working environment. NightView™ features two strips of highly visible light reflective strands which are directly woven into Tensator's industry finest webbing and is available as an optional upgrade on all new Tensabarrier® products.


NV D3


NV D4

MILTON KEYNES +44 1908 684 600
NEW YORK +1 631 666 0336
DUBAI +971 4 2997 228
PARIS +33 1 43 09 85 00
FRANKFURT +49 69 3003 89 010
WROCLAW +48 71 359 3800

WWW.TENSATOR.COM

Owing to the dynamic nature of our business, specifications are constantly being changed and therefore this literature is for informational purposes only. For the most up to date information, please visit our website www.tensatorgroup.com. Tensator makes no warranties, express or implied, in this document. E&OE.