Specifications

Eaton 271062



Catalog Number: 271062

Z-GV-16/1P+HS. Busbar, isolated, 80A, 1p, +aux. contact

General specifications

Product Name
Eaton Distribution parts

Catalog Number
271062

EAN
4015082710620

Product Length/Depth
17.3 mm

Product Height
14.4 mm

Product Width
1016 mm

Product Weight
0.26 kg

Compliances
RoHS conform

Certifications
CE

Powering Business Worldwide

Product specifications

Features

Insulated

Can be cut to size

Electric connection type

Fork

Rated surge voltage

0 KV

Rated uninterrupted current (Iu)

80 A

Suitable for number of devices

38

Number of poles

Single-pole

Color

Other

Rated short-time withstand current (Icw)

0 kA

Cross section

16 mm²

Number of modular spacings

1

Number of phases

1

Pitch dimensions

27 mm

Rated operational voltage (Ue) - max

415 V

Rated conditional short-circuit current (Iq)

25 kA

Suitable for

Devices with auxiliary switch

38 devices

Resources

Declarations of conformity

DA-DC-03_Z-GV

Drawings

eaton-3d-drawing-versch-z-gv-2.jpg

eaton-dimensions-mas-zv73.jpg

Wiring diagrams

eaton-wiring-diagram-versch.jpg



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia