Specifications

Eaton 288942



Catalog Number: 288942

Eaton Distribution parts, Fuse-link, D02, 32A, 400 V, gL/gG

General specifications

Product Name
Eaton Distribution parts

Catalog Number
288942

EAN
4015082889425

Product Length/Depth
36 mm

Product Height
16 mm

Product Width
16 mm

Product Weight
0.013 kg

Compliances
RoHS conform

Certifications
DIN VDE 0636
DIN 49522

Powering Business Worldwide

Product specifications

Used with

Fuse links
Fuse material
Accessory

Type

Accessory
Fuse links
Fuse material

Special features

Snap-fit on DIN rail
in a plastic box in the colour
of the indicator

Amperage Rating

32 A

Frame

D02

Equipment heat dissipation, current-dependent

2.4 W

Utilization category

gL/gG (cable protection/equipment protection)
gG (gL)

Color

Black

Ambient operating temperature - max

55 °C

Ambient operating temperature - min

-25 °C

Heat dissipation capacity

0 W

Heat dissipation per pole, current-dependent

0 W

Rated operational current for specified heat dissipation (In)

32 A

Rated operational voltage (Ue) - max

400 V

Resources

Characteristic curve

1220DIA-7

1220DIA-6

Declarations of conformity

DA-DC-03_Z-D01-SE_D02-SE

Rated uninterrupted current (Iu)

32 A

Static heat dissipation, non-current-dependent

0 W

Voltage rating at DC

220 V DC

Functions

Accessory

Fuse cartridge

D02

Voltage rating

400 V AC

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia