KLEENGUARD®

Technical Data Sheet

Product Data Sheet for KleenGuard® A20+ Breathable Particle Protection Coveralls - Hooded / White

Product Information

Customer Facing Code	95150 - 95200
Description	KleenGuard® A20+ Breathable Particle Protection Coveralls - Hooded / White
PDS Reference	23/11/2022
Status	On Sale

Packaging Configuration

Case Contents	95150: 25 Garments 95160: 25 Garments 95170: 25 Garments 95180: 25 Garments 95190: 25 Garments 95200: 25 Garments
Outer Pack Material	Corrugated

Packaging and Palletisation

Code/Size	ITF Barcode	EAN Barcode	Case LWH (cm)	Net/Gross Weight (kg)	Pallet Type	Pallet LWH (m)	Cases per Pallet	Inner Gross Weight (Kg)
95150-S	05027375044885		40 x 30 x 40	3.82/4.7	E5	1.20 x 0.80 x 1.35	6 x 3 =18	0.20
95160-M	05027375044892		40 x 30 x 40	4.12/5	E5	1.20 x 0.80 x 1.34	6 x 3 =18	0.21
95190-XXL	05027375044939		40 x 30 x 44	4.81/5.73	E5	1.20 x 0.80 x 1.47	6 x 3 =18	0.24
95200-XXXL	05027375044946		40 x 30 x 44	5.08/6	E5	1.20 x 0.80 x 1.46	6 x 3 =18	0.25

Product Data Sheet for KleenGuard® A20+ Breathable Particle Protection Coveralls - Hooded / White

Product Description

Perform with distinction using KleenGuard® PPE, designed to work with wearers as opposed to against them by offering comfort, safety and productivity. Made from breathable SMS fabric with a specially designed hood, body, thumb loops and waist for comfort, safety and strength, KleenGuard® A20 particle protection coveralls are the protective coveralls of choice for industry professionals across the globe. These protective suits are designed for short-life wear and provide maximum comfort and protection for tasks where safety and flexibility is key. Lightweight and breathable, these disposable coveralls are ideal for staying cool and comfortable, making them the ideal choice of PPE apparel when working with hazardous substances and non-hazardous limited liquid splashes. This personal protective equipment protects against liquid, aerosol and dry chemical splashes, sprays, high-pressure jets, fibres and dusts in heavy industrial, maintenance, land clean-up, tank cleaning, paint preparation and petrochemical areas. KleenGuard® A20 disposable coveralls have a Reflex™ design with a full length zipper, plus a storm flap and coverall hood for easier taping to a respirator. With an elastic waist for improved comfort and thumb loops to prevent the sleeve riding up the arm, these disposable coveralls give your workers the protection they need without sacrificing comfort. The protective coveralls are silicone-free, low lint and made with non-natural latex elastic. These protective suits provide PPE Category 3 protection, Type 5 particle protection, Type 6 limited splash protection, are treated to be anti-static (EN1149-5) and are suitable for use as personal protective equipment against radioactive dust (EN1073-2). Kleenguard® A20 breathable hooded coveralls are available in S (95150), M (95160), L (95170), XL (95180), 2XL (95190) and 3XL (95200). 25 x 3XL White Disposable CoverallsKimberly-Clark Professional™ personal protective equipment is only intended for occupational workplace use and must be used in compliance with all applicable health and safety laws and standards in addition to all user instructions, warnings and limitations accompanying each product. It is essential all product user instructions and laws and regulations on the use of each product be followed in order for the product to help protect the wearer. Misuse of personal protective equipment may result in injury, sickness, or death. For correct product selection and use, individuals should seek occupational health and safety advice from a suitably competent person. This product is suitable for sale in the EU/UK.

Features and Benefits

Features	Benefits
Approved as Complex Design (Category 3) equipment	Offering protection to the levels specified for Type 5 & 6 by CEN
Ideal for protecting against powders, larger fibres and light chemical splashes	Reducing contamination in critical areas, Working in general maintenance, contract cleaning, construction and utility areas
Single-use protective clothing to improve safety and comfort in high-risk areas	Providing general protection against water-based or chemical splashes, liquids or dust particles
Suitable for use as protection against solid particles and particulate radioactive contamination	EN1073-2
Treated to be antistatic	To EN 1149-5

Product Configuration


Technology	SMS	**Low lint**	Yes
Breatheable	Yes	**Sterile**	No
Latex Free	Yes	**Silicone Free**	Yes
Colour	White	**Highly visible**	No
Lightweight	Yes		

International Standards and Symbols

Marketing

Technology – Apparel

Fabric Choice



Solution

Safer Workplace

We know staff safety is your top priority. You can rely on our solutions to protect them, their environment and your important work.



Productive Workplace

The success of your business hinges on your work efficiency. That's why our solutions are designed to help improve your productivity.



Product Data Sheet for KleenGuard® A20+ Breathable Particle Protection Coveralls - Hooded / White

Standard R+E

EN ISO 13982-1:2004 - Particle Protection	Workwear Type 5	
EN 13034:2005 – Limited Splash Protection	Workwear Type 6	
EN 1073-2:2002	Radioactive Dust Contamination Protection	
Chemical Protection	Chemical Protection	
EN 1149-1:1995	Antistatic	
CE Mark	Simple - CAT I, Intermediate - CAT II or Complex - CAT III	
Range Symbol	Apparel	

Trade

ISO 9001	This gives the requirements for quality management systems, is now firmly established as the globally implemented standard for providing assurance about the ability to satisfy quality requirements and to enhance customer satisfaction in supplier-customer relationships.	

Product Data Sheet for KleenGuard® A20+ Breathable Particle Protection Coveralls - Hooded / White

Test Results

Test	Result
-EN ISO 13935-2 Seam Strength (Grab test)	Class 2 of 6
EN ISO 13982-2 - Particle Inward Leakage (taped at the hood, wrist & ankles)	PASS
EN1149-5 - Antistatic	PASS
BS EN 863:1996 - Puncture resistance	Class 1 of 6
EN 1073-2 - Radioactive dust	Class 1
EN 13274-4 M3 - Resistance to Ignition	PASS
EN 530 M2 - Abrasion Resistance	Class 1 of 6
EN ISO 13934-1 - Tensile Strength	Class 1 of 6
EN ISO 17491-4 (modified) - Resistance to Penetration by Liquids (spray test)	PASS
EN ISO 7854 MB - Flex Cracking	Class 3 of 6
ISO 6530 - Repellency to Liquid Chemicals	10%NaOH , 30%H2SO4, Class 3 of 3
ISO 6530 - Resistance to Penetration by Liquid Chemicals	10%NaOH , 30%H2SO4, Class 3 of 3
ISO 9073-4 - Trapezoidal Tear Resistance	Class 2 of 6

Packaging

Unit Of Sale	Case	**Max Weight(kg)**	6.6
Case Dimension(LXWXH)(cm)	40 x 30 x 44	**Inner Pack Material**	LDPE

Instructions

Do not use chlorine - based bleach.

Do not dry clean.

Inflammable. Keep away from open flames, sparks or intense heat sources. The fabric will begin to melt at the approximate temperature indicated.

The open book pictogram - indicates that the user should read and understand the USER INSTRUCTIONS before using the garment.

Do not iron.

Do not tumble dry

Do not wash.

Product Data Sheet for KleenGuard® A20+ Breathable Particle Protection Coveralls - Hooded / White

Information

It is the employer's responsibility to assess the risk of the task to be undertaken and determine the correct choice of personal protective equipment for the task. The manufacturer, Kimberly-Clark, does not accept any responsibility for the incorrect choice or misuse of the personal protective equipment shown in this brochure. All care has been taken to ensure that the information contained herein is as accurate as possible at the time of publication, however errors may occur and legislation concerning personal protective equipment is under constant review and may change in the lifetime of this brochure. Accordingly, the specification for the products may be subject to change. We would advise you to contact INFOFAX if you have any queries concerning the products shown or the suitability of such products for a particular task. Always dispose of used protective equipment in a safe and appropriate manner in accordance with European, National and Local environmental regulations.

Websites	www.kcprofessional.co.uk	**Storage conditions**	Keep dry. Store in a cool dry place and shield from exposure to direct sunlight, intense artificial light or exposure to sources of radiation or ozone.
Durability	This product has an unlimited shelf life.		
Customer Service Number	For more information please contact Customer Service during regular office hours-0870 551 044		
Country of Origin	MEXICO		

(Code=09518999/LN=01/Country=GB/Type=C)