PRODUCT-DETAILS

BEY38-4KF

BEY38-4KF Connection Set for Star-Delta Starter



General Information

Extended Product Type	BEY38-4KF
Product ID	1SBN082323R2000
EAN	3471523007710
Catalog Description	BEY38-4KF Connection Set for Star-Delta Starter
Long Description	BEY38-4KF is a connection set used to connect the main poles of the Line, Delta and Star contactors of a star-delta starter for AF26..K ... AF38..K, AFC26..K ... AFC38..K contactor ranges. The connection sets are made up of: • Line contactor / delta contactor: upstream phase-to-phase connection • Delta contactor / star contactor: downstream connection in parallel • Star contactor: star point upstream • Insulated, solid copper bar • Black fork pieces for a quick dismounting of line, delta and star contactors. With the Push-in Spring terminals, one push is all you need for a faster than ever installation, an easier than ever wiring and a reliable as ever connection.

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

© 2025 ABB. All rights reserved.

Popular Downloads

Data Sheet, Technical Information	1SBC100214C0202
Instructions and Manuals	1SBC101057M6801
Instructions and Manuals (Part 2)	1SAC200017M0002
CAD Dimensional Drawing	2CDC001079B0201

Dimensions

Product Net Width	79 mm
Product Net Depth / Length	30 mm
Product Net Height	39 mm
Product Net Weight	0.09 kg

Technical

Standards	EN 60947-1, EN 60947-4-1, UL 60947-4-1, CSA C22.2 No. 60947-4-1
Rated Operational Voltage	Main Circuit 690 V AC
Rated Frequency (f)	Main Circuit 50 / 60 Hz
Terminal Type	Push-in Spring Terminals
Suitable For	AF26 AF26Z AF30 AF30Z AF38 AF38Z
Product Name	Connection Set

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Declaration	2CMT2021-006277
RoHS Information	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

Declaration of Conformity - CE	1SBD250021U1000
Declaration of Conformity - UKCA	1SBD250043U1000
GOST Certificate	GOST_POCCFR.ME77.B07175.pdf
UL Certificate	UL-US-L312527-151-12119002-5 UL-CA-L312527-451-12119002-5

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	44 mm
Package Level 1 Depth / Length	83 mm
Package Level 1 Height	43 mm

© 2025 ABB. All rights reserved.

Package Level 1 Gross Weight	0.105 kg
Package Level 1 EAN	3471523007710

External Classifications and Standards

ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
eClass	V11.0 : 27371392
UNSPSC	39121521
IDEA Granular Category Code (IGCC)	4727 >> Motor starter controls
E-Number (Finland)	3709752
E-Number (Norway)	4115835
E-Number (Sweden)	3210707

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors



© 2025 ABB. All rights reserved.