PRODUCT-DETAILS

# MJS5-60B

## MJS5-60B Joystick



360°

### General Information

| | |
|---|---|
| Extended Product Type | MJS5-60B |
| Product ID | 1SFA611705R6006 |
| EAN | 7320500375730 |
| Catalog Description | MJS5-60B Joystick |
| Long Description | The MJS5-60B Joystick is: 4-position - Momentary - Joystick without latching function - Black - Non-illuminated - Chrome Metal - No contact block<br>This Joystick is part of ABB's modular plastic range, the most versatile range with a high level of flexibility and market-leading electrical ratings. Engineered for total reliability, longer lifetime, and highest mechanical durability. Self-cleaning contacts ensure reliable operation without the need for maintenance, increasing uptime. A high degree of protection guarantees reliability in extreme environments. The innovative design simplifies the entire process, from selection to easy and quick, tool-free installation. The perfect solution for every application. |

### Ordering

| | |
|---|---|
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85369001 |

© 2024 ABB. All rights reserved.

## Popular Downloads

| | |
|---|---|
| Data Sheet, Technical Information | 1SFC151007C02__ |
| Instructions and Manuals | 1SFC151011M0201 |

## Dimensions

| | |
|---|---|
| Product Net Width | 0.04 m |
| Product Net Height | 0.043 m |
| Product Net Depth / Length | 0.097 m |
| Product Net Weight | 0.062 kg |

## Technical

| | |
|---|---|
| Ambient Air Temperature | Operation -25 ... +70 °C<br>Storage -40 ... +85 °C |
| Color | Black |
| Actuator Type | Joystick without latching function |
| Bezel Material | Chrome Metal |
| Illumination | Non-illuminated |
| Function | Maintained |
| Sub-Function | 4-position |
| Enclosure Type NEMA | Type1<br>Type12<br>Type13<br>Type4<br>Type4X |
| Mechanical Durability | 0.5 million |

## Environmental

| | |
|---|---|
| Degree of Protection | Front IP66<br>Front IP67<br>Front IP69K |

## Material Compliance

| | |
|---|---|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658 |
| REACH Declaration | 2CMT2022-006479 |
| RoHS Information | 2CMT2022-006498 |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Toxic Substances Control Act - TSCA | 2CMT2023-006523 |
| WEEE Category | Product Not in WEEE Scope |

## Certificates and Declarations

| | |
|---|---|
| cULus Certificate | 9AKK107046A9925 |
| Declaration of Conformity - CE | 2CMT2015-005452 |

© 2024 ABB. All rights reserved.

| | |
|---|---|
| Declaration of Conformity - UKCA | 2CMT2020-006121 |
| DNV GL Certificate | E-14107 |

## Container Information

| | |
|---|---|
| Package Level 1 Units | bag 1 piece |
| Package Level 1 Width | 0.11 m |
| Package Level 1 Depth / Length | 0.15 m |
| Package Level 1 Height | 0.048 m |
| Package Level 1 Gross Weight | 0.065 kg |
| Package Level 1 EAN | 7320500375730 |

## Classifications

| | |
|---|---|
| Object Classification Code | S |
| ETIM 6 | EC000632 - Control switch, Joystick |
| ETIM 7 | EC000632 - Control switch, Joystick |
| ETIM 8 | EC000632 - Control switch, Joystick |
| eClass | V11.0 : 27371404 |
| UNSPSC | 39122227 |
| IDEA Granular Category Code (IGCC) | 5280 >> Joystick switch or control |
| E-Number (Finland) | 2312114 |
| E-Number (Norway) | 4372967 |
| E-Number (Sweden) | 3705020 |

## Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Modular Plastic Range → MJS Joysticks

© 2024 ABB. All rights reserved.




© 2024 ABB. All rights reserved.