roline

Datenblatt - Fiche technique - Data sheet

11.04.5352




ROLINE VGA-Kabel HD15 ST – BU mit Ferritkern, 2,0m

ROLINE HD15 M/HD15 F avec noyaux de ferrite, 2,0m

ROLINE HQ VGA Cable with Ferrite, HD15 M – HD15 F, 2 m

CUSTOMER NO:	REMARK




NOTE:

1) PRIMARY DIM:A.C,D
2) FULLY COPPER FOIL SHIELD 360°.
3) CABLE AND MODEL COLOR:BLACK
4) RoHS COMPLIANT

14	NON UL PVC TUBE OD:2.3MM BLACK 6PCS RoHS
13	UL HEAT SHRINK TUBE BLACK OD:1.5mm RoHS 6PCS
12	UL HEAT SHRINK TUBE BLACK OD:3.0mm RoHS 6PCS
11	SOLDER WIRE RoHS
10	CABLE TIE BLACK 12cm RoHS
9	COPPER W:0.024M RoHS 2PCS
8	JUMP WIRE 24AWG 3CM RoHS
7	FERRITE CORE Φ17.5X28.5XΦ9.5mm RoHS
6	SCREW:#4-40UNC E:40.2MM BLACK(1101) RoHS
5	INNER JACKET PE RoHS
4	OUTER JACKET PVC 45Po BLACK(1101) RoHS
3	HDB15F BLUE SOLDER TYPE TERMINAL PLATED GOLD FLASH RoHS
2	HDB15M BLUE SOLDER TYPE TERMINAL PLATED GOLD FLASH W/O 9PIN RoHS
1	UL2919 28#*3COAX+28#7C+AL+MY+B(1/65%)+D BALCK(1101) OD:8.0MM LENGTH RoHS

PINOUT:



REV.	ECR	DESCRIPTION	C.N.	DATE
A		FIRST EDITION	He X.Lin	18/04/09

THESE DRAWING AND SPECIFICATIONS ARE THE PROPERTY OF WHERE OTHERWISE NOTED AND SHALL NOT BE REPRODUCED COPIED OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF

Rotronic Co., Ltd

TITLE: MONITOR CABLE

DRAWN	CHKD.
He X.Lin	

PART NO. W28SBK1MFXX

MATERIAL


FINISH


SCALE | SHEET 1/2 | UNIT MM | SIZE A4 | REV. A

WFM-ED-07B

CUSTOMER NO:	REMARK

客戶料號	長度(M)	包裝方式	紙箱尺寸 高(cm)	長(cm)	寬(cm)	裝箱數量
11.04.5352	2.0	吊卡+PE袋(8"*10"*0.08mm)	20	37	30	20
11.04.5353	3.0	吊卡+PE袋(8"*10"*0.08mm)	17	46	30	20
11.04.5356	6.0	吊卡+PE袋(8"*10"*0.08mm)	17	46	30	10
11.04.5360	10	PE袋(9"*14"*0.08mm)	20	32.5	25	5
11.04.5370	20	PE袋(12"*14"*0.08mm)	18	26	26	2
11.04.5380	30	PE袋(14"*16"*0.08mm)	18.5	36.5	30	2





NOTE:
1)線材長度和PE BAG規格參表格.
2)貼紙由業務提供.
3)各長度的線材,紙箱尺寸和裝箱數量參上表格.
4)產品符合RoHS標準.

REV.	ECR	DESCRIPTION	C.N.	DATE
A		FIRST EDITION	He X.Lin	18/04/09

Rotronic Co., Ltd

TITLE: MONITOR CABLE

CHKD.

DWN.

APPR.

DES. He X.Lin

PART NO. W28SBK1MFXX

MATERIAL

FINISH

SCALE

SHEET 2/2

UNIT MM

SIZE A4

REV. A

WFM-ED-07B