Specifications

Eaton 290171

Catalog Number: 290171

Eaton Distribution parts. Restarting device-set, 220-240VAC, 6HP



General specifications

Product Name
Eaton Distribution parts

Catalog Number
290171

EAN
4015082901714

Product Length/Depth
80 mm

Product Height
77.3 mm

Product Width
123.4 mm

Product Weight
0.375 kg

Compliances
RoHS conform

Powering Business Worldwide

Product specifications

Used with

Restarting device - pre-assembled kits
Accessory for residual current circuit breaker
Accessory
Accessory for miniature circuit breaker

Type

Accessory
Accessory for miniature
circuit breaker
Accessory for residual
current circuit breaker

Application

Switchgear for industrial and advanced commercial applications

Accessory/spare part type

Restarting device

Equipment heat dissipation, current-dependent

0 W

Mounting method

For fitting on right to: CLS6, PFIM, PFHM-4p, dRCM, Z-A40, PFR, Z-MS

Additional equipment required

Monitoring unit with automatic reclosing

Ambient operating temperature - max

40 °C

Ambient operating temperature - min

-25 °C

Assembly width

6 TE

Heat dissipation capacity

0 W

Heat dissipation per pole, current-dependent

0 W

Number of contacts (change-over contacts)

0

Number of contacts (normally closed contacts)

0

Resources

Declarations of conformity

DA-DC-03_Z-FW-LP

Drawings

eaton-dimensions-mas-hk.jpg

Installation instructions

IL019014ZU

mCAD model

z_fw_lp_mo.dwg

z_fw_lp_mo.stp

Number of contacts (normally open contacts)

0

Number of poles at main contact unit - max

0

Number of switches (fault signal)

0

Rated operational current for specified heat dissipation (In)

0 A

Voltage type

AC

Functions

With auto test for earth leakage function

Monitoring unit with automatic reclosing

Device fitting

Universal

Rated operational voltage (Ue) - max

230 V

Rated switch current

0 A

Static heat dissipation, non-current-dependent

3.5 W

Suitable for current of main contact unit - max

0 A

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia