Specifications

# Eaton 114688



## Catalog Number: 114688

Eaton xEnergy Light LV systems LV switchgear. Bottom-/top plate for F3A flanges, for WxD = 425 x 500mm, IP55, grey

### General specifications

**Product Name**
Eaton xEnergy Light LV systems LV switchgear

**Catalog Number**
114688

**EAN**
4015081140886

**Product Length/Depth**
350 mm

**Product Height**
30 mm

**Product Width**
400 mm

**Product Weight**
1.8 kg

**Compliances**
RoHS conform

Powering Business Worldwide

## Product specifications

### Used with

Control centres XVTL

Accessory

Combination enclosure

### Special features

Including screws\nWith flange cutouts\nRoof panel with cutouts for F3A flange

### Type

Accessory\nCombination enclosure\nControl centres XVTL

### Accessory/spare part type

Bottom plate

Roof plates

### Fitted with:

Cable entry

### Surface finishing

Powder coating

With powder coating RAL 7035, light gray

Polyester powder coating

### Color

Gray

### Degree of protection

IP55 (with cable entry flange F3A)

### Unit type

Modular system

### Number of openings

2

### RAL-number

7035

### Suitable for enclosure building length/depth

500 mm

### Suitable for enclosure building width

400 mm

### Suitable for length/depth

500 mm

### Suitable for width

425 mm

## Resources

### Catalogs

eaton-pdd-xenergy-light-catalog-ca014022en-en-us.pdf

eaton-xenergy-light-add-on-distribution-board-product-catalog-2017-en-us.pdf

### Material

Steel

### Housing material

Sheet steel 1.25 mm

### Suitable for

Bottom planking

Roof planking

---

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia