Rittal – The System.

Faster – better – everywhere.

Viewing window Stainless steel – FT 2793.560

Date : Apr 26, 2021

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Viewing window Stainless steel – FT 2793.560

created: 26.04.2021 build on www.rittal.com/uk-en





Product description

Description:	Fitted as standard with internal 130° hinges and all-round seal.
Material:	Stainless steel 1.4301 (AISI 304) Single-pane safety glass
Protection category IP to IEC 60 529:	IP 54
Supply includes:	Assembly parts
Note:	Standard double-bit lock insert may be exchanged for lock inserts 27 mm, type A, and/or for lock system Ergoform-S (except H = 270 mm).

Product description

Dimensions:	Width: 522 mm Height: 600 mm Depth: 38 mm
Viewing area:	Width: 408 mm Height: 543 mm
Build depth for components (max.):	31 mm
Packs of:	1 pc(s).
Weight/pack:	6.5 kg
Copper weight (kg per piece):	0

EAN:	4028177149656
Customs tariff number:	76101000
ETIM 7.0:	EC000747
ETIM 6.0:	EC000747
eCl@ss 8.0/8.1:	27182204
eCl@ss 6.0/6.1:	27182301
Product description:	FT Viewing window, WHD: 522x600x38 mm, Stainless steel 1.4301

Approvals

Certificates:	NA