PRODUCT-DETAILS

CPFM16/BL/50M

16MM PE CONDUIT 50M - BL



General Information

Extended Product Type:	CPFM16/BL/50M
Product ID:	7TCA296000R1766
EAN:	5020963027109
Catalog Description:	16MM PE CONDUIT 50M - BL
Long Description:	Medium Weight Conduit, Nominal Conduit Size 16mm, NW Conduit Size 13, Fine Conduit Pitch, Outside Diameter 15.8mm, Inside Diameter 11.3mm, Static Bend Radius 30mm, Reel Length 50 Meters, Polyester, Black
Display Name:	CPFM16/BL/50M

Additional Information

Product Main Type:	Adaptaflex Flexible Cable Protection
Application:	Indoors / Outdoors, Low Temperature Flexing, High Impact Resistance

Ordering

EAN:	5020963027109

© 2026 ABB. All rights reserved.

UPC:	786210274119

Dimensions

Outside Diameter:	15.8 mm

Technical

Number of Batteries:	0
Color:	Black
Material:	Polyester

Environmental

WEEE Category:	Product Not in WEEE Scope
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Container Information

Package Level 1 Units:	1 piece
Package Level 1 EAN:	5020963027109
Package Level 1 Height:	5.91 in 150 mm
Package Level 1 Depth / Length:	17.32 in 440 mm
Package Level 1 Width:	17.32 in 440 mm

Certificates and Declarations

Declaration of Conformity - CE:	9AKK107492A9618
RoHS Declaration:	9AKK107992A8994
REACH Declaration:	9AKK107992A8994

External Classifications and Standards

ETIM 8:	EC001175 - Corrugated plastic hose
ETIM 9:	EC001175 - Corrugated plastic hose
UNSPSC:	39131706

Categories

© 2026 ABB. All rights reserved.

Products > Low Voltage Products and Systems > Installation Products > Cable Protection, Explosion Proof and Lighting > Flexible Cable Protection Systems



© 2026 ABB. All rights reserved.