
Rittal – The System.

Faster – better – everywhere.




SK 3182.125

Pleated filter

State: 18/3/2024 (Source: rittal.com/in-en)

SK 3182.125 - Pleated filter for fan-and-filter units, roof-mounted fans, cooling units and chillers

The high-quality pleated filter technology permits a significant increase in the volumetric air flow compared to conventional chopped-fibre filter mats. Cooling unit performance is improved and energy consumption is lower. The enhanced filtration properties also mean less dust in the enclosure or unit, and the resulting longer maintenance intervals reduce service costs significantly.



Features

Model No.	SK 3182.125
Note	Performance data, protection category and device approvals are only guaranteed when used in conjunction with original Rittal filter mats.
To fit Model No.	3240.xxx 3241.xxx
Dimensions	Width: 212.5 mm Height: 212.5 mm Depth: 21 mm
Dimensions of absorber mat	Width: 221 mm Height: 221 mm
IP protection category to IEC 60 529	IP55 in fan-and-filter units/outlet filters
Note on Model No.	No suitable for use in EMC fan-and-filter units.
Weight/pack	0.55 kg
Packs of	5 pc(s).
Customs tariff number	56039390

© Rittal 2024

Features

EAN	4028177969094
ETIM 8	EC002513
ETIM 7.0	EC002513
ECLASS 8.0	27180706

Approvals

Approvals	UR + C-UR (recognized)