rotronic

Datenblatt - Fiche technique - Data sheet

11.04.5270



ROLINE VGA-Kabel HD15 ST – ST mit Ferritkern, 20,0m

ROLINE HD15 M/HD15 M avec noyaux de ferrite, 20,0m

ROLINE HQ VGA Cable with Ferrite, HD15 M – HD15 M, 20 m

CUSTOMER NO:	REMARK



PINOUT:



NOTE:
1) PRIMARY DIM:A.C,D
2) FULLY COPPER FOIL SHIELD 360°.
3) CABLE AND MODEL COLOR:BLACK
4) RoHS COMPLIANT

13	NON UL PVC TUBE OD:2.3MM BLACK 6PCS RoHS
12	UL HEAT SHRINK TUBE BLACK OD:1.5mm RoHS 6PCS
11	UL HEAT SHRINK TUBE BLACK OD:3.0mm RoHS 6PCS
10	SOLDER WIRE RoHS
9	CABLE TIE BLACK 12cm RoHS
8	COPPER W:0.024M RoHS 2PCS
7	JUMP WIRE 24AWG 3CM RoHS
6	FERRITE CORE ø17.5X28.5Xø9.5mm RoHS
5	SCREW:#4-40UNC E:40.2MM BLACK(1101) RoHS
4	INNER JACKET PE RoHS
3	OUTER JACKET PVC 45Pa BLACK(1101) RoHS
2	HDB15M BLUE SOLDER TYPE TERMINAL PLATED GOLD FLASH W/O 9PIN RoHS
1	UL2919 28#*3COAX+28#7C+AL+MY+B(1/65%)+D BALCK(1101) OD:8.0MM LENGTH RoHS

REV.	ECR	DESCRIPTION	C.N.	DATE
A		FIRST EDITION	He X.Lin	18/04/09

Rotronic Co., Ltd

TITLE: MONITOR CABLE

CHKD. | CONF.

DR. He X.Lin | APPD.

PART NO. W28SBK1MMXX

SCALE | SHEET 1/2 | UNIT MM | SIZE A4 | REV. A

WFM-ED-07B

CUSTOMER NO:	REMARK

客戶料號	長度(M)	包裝方式	紙箱尺寸 高(cm)	長(cm)	寬(cm)	裝箱數量
11.04.5252	2.0	吊卡+PE袋(8"*10"*0.08mm)	20	37	30	20
11.04.5253	3.0	吊卡+PE袋(8"*10"*0.08mm)	17	46	30	20
11.04.5256	6.0	吊卡+PE袋(8"*10"*0.08mm)	17	46	30	10
11.04.5260	10	PE袋(9"*14"*0.08mm)	20	32.5	25	5
11.04.5270	20	PE袋(12"*14"*0.08mm)	18	26	26	2
11.04.5280	30	PE袋(14"*16"*0.08mm)	18.5	36.5	30	2



NOTE:
1)線材長度和PE BAG規格參表格.
2)貼紙由業務提供.
3)各長度的線材,紙箱尺寸和裝箱數量參上表格.
4)產品符合RoHS標準.

REV.	ECR	DESCRIPTION	C.N.	DATE
A		FIRST EDITION	He X.Lin	18/04/09

Rotronic Co., Ltd

TITLE: MONITOR CABLE

CHKD. | DSGN.

DR. He X.Lin | APPR.

PART NO. W28SBK1MMXX

MATERIAL | FINISH | SHEET 2/2 | UNIT MM | SIZE A4 | REV. A

WFM-ED-07B