Rittal – The System.

Faster – better – everywhere.

Service socket for enclosure frame attachment – DK 7280.100

Date : Apr 26, 2021

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Service socket for enclosure frame attachment – DK 7280.100

created: 26.04.2021 build on www.rittal.com/uk-en



Product description

Description:	Integration of a service socket within a separate supply circuit, independently of the IT network and UPS. Simple installation via an angle bracket for attaching to the enclosure frame.
Material:	Angle bracket: Sheet steel Socket: Plastic
Surface finish:	Angle bracket: Zinc-plated
Supply includes:	Angle bracket Damp-proof socket (IP 44) Assembly parts

Product description

Rated voltage:	230 V
Rated current (max.):	16 A
Equipment (electrical):	Jack/socket (type): D, earthing-pin (type F, CEE 7/3)
Packs of:	1 pc(s).
Weight/pack:	0.47 kg
Copper weight (kg per piece):	0

© Rittal 2021

EAN:	4028177552388
Customs tariff number:	73269098
ETIM 7.0:	EC000330
ETIM 6.0:	EC000330
eCl@ss 8.0/8.1:	27142604
eCl@ss 6.0/6.1:	27142604
Product description:	DK Service socket, CEE 7/3 (type F), 1-way, 16 A, For enclosure frame attachment

Approvals

Certificates:	EAC

© Rittal 2021