PRODUCT-DETAILS

TY400-120-2

CBL TIE 120LB 15IN RED NYLON



General Information

Extended Product Type	TY400-120-2
Product ID	7TCG054360R0286
EAN	5414363064459
Catalog Description	CBL TIE 120LB 15IN RED NYLON
Long Description	Cable Tie, Red Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 374.65mm (14.75 Inches), Width of 7.595mm (0.299 Inches), Thickness of 1.90mm (0.075 Inches), Tensile Strength Rating of 540 Newtons (120 Pounds), Bulk Pack

Ordering

EAN	5414363064459
UPC	786210766621

Dimensions

Product Net Width	0.299 in 7.595 mm
Product Net Depth / Length	14.75 in 374.65 mm

Container Information

Package Level 1 Units	500 piece
Package Level 1 Width	15 in 381 mm
Package Level 1 Height	4 in 102 mm
Package Level 1 Depth / Length	21 in 533 mm
Package Level 2 Units	2500 piece
Package Level 2 Width	10.2 in 259 mm
Package Level 2 Height	13.8 in 351 mm
Package Level 2 Depth / Length	19.7 in 500 mm

Technical UL/CSA

Flammability According to UL94	V-2

Additional Information

Brand / Label	Catamount
Bundle Diameter	4 in 101.6 mm
Color	Red
Effective Date	19970904
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	CATAMOUNT FASTENING PRODUCTS
Product Type	General Purpose
Tensile Strength	120 lb 540 N
Thickness	0.075 in 1.9 mm

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY400-120-2
Declaration of Conformity - CE	9AKK107492A9843
Instructions and Manuals	TY400-120-2

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties