Specifications

Eaton 12OHGMA10



Catalog Number: 12OHGMA10

Oil fuse-link, medium voltage, 10 A, AC 12 kV, BS2692 F02, 359 x 63.5 mm, back-up, BS, IEC, ESI, with striker

General specifications

Product Name
Eaton Bussmann series medium voltage oil fuse

Catalog Number
12OHGMA10

EAN
5027590432726

Product Length/Depth
359 mm

Product Height
63.5 mm

Product Width
63.5 mm

Product Weight
2.6 kg

Compliances
BS 2692-1
ESI 12-8

Certifications
IEC Rated
IEC60282-1
KEMA

Powering Business Worldwide

Product specifications

Type

fuse

Application

protection of primary side transformer, and oil-filled fuse switch combination unit

Amperage Rating

10 A

Fuse indicator

with striker

Fuse size

63.5 x 359 mm

Breaking capacity

45 kA

Installation technique

Oil

Performance Cat According To IEC 60282-1

Back-up

Product application

Primary side transformer protection

Rated frequency - max

60 Hz

Rated frequency - min

50 Hz

Release characteristic

Other

Standard

British Standard

Utilization category

Other

Voltage type

AC

With striker

Yes

Fuse diameter

63.5 mm

Resources

Technical service bulletins

Datasheet - 12OHGMA10

Joule integral (I2T) - max operating

1.8 x 103

Joule integral (I2T) - min pre-arcing

1.4 x 102

Resistance

214

Class

Class back-up

Barrels

1

Construction type

F02/BS 2692

Fuse shape

Cylindrical

Interrupt rating

40 kAIC

Construction size

63.5 x 359 mm

Voltage rating

12 kV

Fuse type

OHGM

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia