KLEENGUARD®

Technical Data Sheet

Product Data Sheet for KleenGuard® A30 Liquid & Particle Protection Coveralls - Hooded / White

Product Information

Customer Facing Code	98001 - 98006
Description	KleenGuard® A30 Liquid & Particle Protection Coveralls - Hooded / White
PDS Reference	22/09/2022
Status	On Sale

Packaging Configuration

Case Contents	98001: 25 Garments 98002: 25 Garments 98003: 25 Garments 98004: 25 Garments 98005: 25 Garments 98006: 25 Garments
Outer Pack Material	Corrugated

Packaging and Palletisation

Code/Size	ITF Barcode	EAN Barcode	Case LWH (cm)	Net/Gross Weight (kg)	Pallet Type	Pallet LWH (m)	Cases per Pallet	Inner Gross Weight (Kg)
98001-S	05027375048203	5033848035540	40 x 30 x 34	4.2/5.18	E5	1.20 x 0.80 x 1.17	6 x 3 =18	0.17
98002-M	05027375048289	5033848035649	40 x 30 x 34	5.25/6.34	E5	1.20 x 0.80 x 1.17	6 x 3 =18	0.21
98003-L	05027375048234	5033848035663	40 x 30 x 36	5.5/6.48	E5	1.20 x 0.80 x 1.23	6 x 3 =18	0.22
98004-XL	05027375048241	5033848035670	40 x 30 x 36	5.95/6.93	E5	1.20 x 0.80 x 1.23	6 x 3 =18	0.24
98005-XXL	05027375048272	5033848035700	40 x 30 x 39	6.15/7.24	E5	1.20 x 0.80 x 1.32	6 x 3 =18	0.25
98006-XXXL	05027375048265	5033848035694	40 x 30 x 39	6.4/7.38	E5	1.20 x 0.80 x 1.32	6 x 3 =18	0.26

Product Data Sheet for KleenGuard® A30 Liquid & Particle Protection Coveralls - Hooded / White

Product Description

Perform with distinction using KleenGuard® PPE, designed to work with wearers as opposed to against them by offering comfort, safety and productivity. With a specially designed coverall hood to fit a respirator, full-length zip, strong over-locked stitched seams and double-layer fabric for comfort, safety and strength, KleenGuard® A30 liquid and particle protection hooded coveralls are the protective coveralls of choice for industry professionals across the globe. These protective suits are made of a microporous film and laminate fabric in a Reflex™ design, human-centric pattern which incorporates 8.5% more material than KleenGuard® A20 coveralls, providing uninhibited movement and maximum productivity. KleenGuard® A30 disposable coveralls provide lightweight, general protection against water-based or chemical splashes, liquids or dust particles with the added benefit of anti-static protection (EN1149-5). Each protective suit is supplied in a sealed clear polybag for protection and comes with concise user instructions. KleenGuard® A30 hooded coveralls are designed for single-use and provide maximum comfort and general protection for tasks when safety and flexibilty is key. The protective suits provide PPE Category 3 protection, Type 5 particle protection, Type 6 limited splash protection and are suitable for use as personal protective equipment against radioactive dust (EN1073-2) and infective agents and biohazards (EN14126). Lightweight and breathable, these disposable coveralls are ideal for staying cool and comfortable, making them the ideal choice of PPE apparel for users working in a range of workplaces including chemical and pharmaceutical industries, manufacturing, utilities, electronics, agriculture, aviation, aerospace and paint spraying areas. KleenGuard® A30 liquid and particle protection hooded coveralls are available in sizes S (98001), M (98002), L (98003), XL (98004), 2XL (98005) and 3XL (98006). 25 X White, 3XL, Disposable CoverallsKimberly-Clark Professional™ personal protective equipment is only intended for occupational workplace use and must be used in compliance with all applicable health and safety laws and standards in addition to all user instructions, warnings and limitations accompanying each product. It is essential all product user instructions and laws and regulations on the use of each product be followed in order for the product to help protect the wearer. Misuse of personal protective equipment may result in injury, sickness, or death. For correct product selection and use, individuals should seek occupational health and safety advice from a suitably competent person. This product is suitable for sale in the EU/UK. The zipper contains metallic components which do not meet EN 1149-5:2018 capacitance requirements.

Features and Benefits

Features	Benefits
Approved as Complex Design (Category 3) equipment	Offering protection to the levels specified for Type 5 & 6 by CEN
Ideal for reducing contamination in critical areas	Working in working in pharmaceutical industries, aerospace & automotive manufacturing, utilities, electronics, oil and gas. Protecting against powders, larger fibres and offers protection against a wide range of chemicals including chromate based primers and isocyanate based paints and lacquers used in paint spraying
Suitable for use as protection against Infective Agents and Biohazards	EN 14126
Suitable for use as protection against solid particles and particulate radioactive contamination	EN1073-2
Treated to be antistatic	To EN 1149-5
Very low lint fabric	Suitable for tasks such as paint spraying cars and clean room environments

Product Configuration

Technology	Film laminate	**Low lint**	Yes
Breatheable	Yes	**Sterile**	No
Latex Free	Yes	**Silicone Free**	Yes
Colour	White	**Highly visible**	No
Lightweight	Yes		

International Standards and Symbols

Marketing

Technology – Apparel

Fabric Choice



Solution

Safer Workplace

We know staff safety is your top priority. You can rely on our solutions to protect them, their environment and your important work.



Productive Workplace	The success of your business hinges on your work efficiency. That's why our solutions are designed to help improve your productivity.	

Standard R+E

EN 14126 : 2003	Infective Agents and Bio-hazard Protection	
EN ISO 13982-1:2004 - Particle Protection	Workwear Type 5	
EN 13034:2005 – Limited Splash Protection	Workwear Type 6	
EN 1073-2:2002	Radioactive Dust Contamination Protection	
Chemical Protection	Chemical Protection	
EN 1149-1:1995	Antistatic	
CE Mark	Simple - CAT I, Intermediate - CAT II or Complex - CAT III	
Range Symbol	Apparel	

Trade

ISO 9001	This gives the requirements for quality management systems, is now firmly established as the globally implemented standard for providing assurance about the ability to satisfy quality requirements and to enhance customer satisfaction in supplier-customer relationships.	

Product Data Sheet for KleenGuard® A30 Liquid & Particle Protection Coveralls - Hooded / White

Test Results

Test	Result
-EN ISO 13935-2 Seam Strength (Grab test)	Class 2 of 6
EN ISO 13982-2 - Particle Inward Leakage (taped at the hood, wrist & ankles)	PASS
EN1149-5 - Antistatic	PASS
BS EN 863:1996 - Puncture resistance	Class 1 of 6
EN 1073-2 - Radioactive dust	Class 1
EN 13274-4 M3 - Resistance to Ignition	PASS
EN 530 M2 - Abrasion Resistance	Class 1 of 6
EN ISO 13934-1 - Tensile Strength	Class 1 of 6
EN ISO 17491-4 (modified) - Resistance to Penetration by Liquids (spray test)	PASS
EN ISO 7854 MB - Flex Cracking	Class 5 of 6
ISO 6530 - Repellency to Liquid Chemicals	10%NaOH , 30%H2SO4, Class 3 of 3
ISO 6530 - Resistance to Penetration by Liquid Chemicals	10%NaOH , 30%H2SO4, Class 3 of 3
ISO 9073-4 - Trapezoidal Tear Resistance	Class 2 of 6

Packaging

Unit Of Sale	Case	**Max Weight(kg)**	8.12
Case Dimension(LXWXH)(cm)	40 x 30 x 39	**Inner Pack Material**	LDPE

Instructions

Do not use chlorine - based bleach.

Do not dry clean.

Inflammable. Keep away from open flames, sparks or intense heat sources. The fabric will begin to melt at the approximate temperature indicated.

The open book pictogram - indicates that the user should read and understand the USER INSTRUCTIONS before using the garment.

Do not iron.

Do not tumble dry

Do not wash.

Product Data Sheet for KleenGuard® A30 Liquid & Particle Protection Coveralls - Hooded / White

Information

It is the employer's responsibility to assess the risk of the task to be undertaken and determine the correct choice of personal protective equipment for the task. The manufacturer, Kimberly-Clark, does not accept any responsibility for the incorrect choice or misuse of the personal protective equipment shown in this brochure. All care has been taken to ensure that the information contained herein is as accurate as possible at the time of publication, however errors may occur and legislation concerning personal protective equipment is under constant review and may change in the lifetime of this brochure. Accordingly, the specification for the products may be subject to change. We would advise you to contact INFOFAX if you have any queries concerning the products shown or the suitability of such products for a particular task. Always dispose of used protective equipment in a safe and appropriate manner in accordance with European, National and Local environmental regulations.

Websites	www.kcprofessional.co.uk	**Storage conditions**	Keep dry. Store in a cool dry place and shield from exposure to direct sunlight, intense artificial light or exposure to sources of radiation or ozone.
Durability	This product has an unlimited shelf life.		
Customer Service Number	For more information please contact Customer Service during regular office hours-0870 551 044		
Country of Origin	CHINA		