Specifications

Eaton 116296



Catalog Number: 116296

Eaton xEnergy Basic LV systems Low voltage switchgear. Cable guard rail, 1200

General specifications

Product Name	**Catalog Number**
Eaton xEnergy Basic other accessory	116296
EAN	**Product Length/Depth**
4015081160358	50 mm
Product Height	**Product Width**
40 mm	1175 mm
Product Weight	**Compliances**
2.64 kg	RoHS conform

Powering Business Worldwide

Product specifications

Used with

BPZ-KR...
Accessory
Accessory consideration
Service distribution board IVS

Accessory/spare part type

Cable clamp rails C section

Surface finishing

Galvanized

Special features

can be used with cable marshalling box
16 mm C profile for hammer clamps, galvanized
Including fixing sundries

Type

Additional equipment
Service distribution board IVS

Unit type

Modular system

Number of height units

0

Suitable for width

1200 mm

Color

Stainless steel

Mounting method

Floor standing distribution board

Degree of protection

IP30
IP54

Model

Other

Mounting position

Horizontal

Resources

Brochures

eaton-xenergy-basic-light-brochure-br014024-en-us.pdf

Catalogs

eaton-distribution-boards-xenergy-basic-catalog-ca014010en-en-us.pdf

Sales notes

eaton-f3a-flange-flyer-fl019005en-en-us.pdf

Functions

Floor standing enclosure

Additional equipment

Material

Metal

Sheet steel

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia