KLEENGUARD®

Technical Data Sheet

Product Data Sheet for KleenGuard® G60 Endurapro™ Level 3 Cut Resistant Gloves - Hand Specific / Grey

Product Information

Customer Facing Code	13823 - 13827
Description	KleenGuard® G60 Endurapro™ Level 3 Cut Resistant Gloves - Hand Specific / Grey
PDS Reference	27/04/2021
Status	On Sale

Packaging Configuration

Case Contents	13823: 1 Bag x 12 Pairs = 12 Pairs 13824: 1 Bag x 12 Pairs = 12 Pairs 13825: 1 Bag x 12 Pairs = 12 Pairs 13826: 1 Bag x 12 Pairs = 12 Pairs 13827: 1 Bag x 12 Pairs = 12 Pairs
Outer Pack Material	Corrugated

Packaging and Palletisation

Code/Size	ITF Barcode	EAN Barcode	Case LWH (cm)	Net/Gross Weight (kg)	Pallet Type	Pallet LWH (m)	Cases per Pallet	Inner Gross Weight (Kg)
13823-7	10036000138235	036000138238	28.7 x 14.5 x 14.7	1.392/1.7	E5	1.20 x 0.80 x 1.33	20 x 8 =160	0.70
13824-8	10036000138242	036000138245	28.7 x 14.5 x 14.7	1.416/2.21	E5	1.20 x 0.80 x 1.33	20 x 8 =160	0.70
13825-9	10036000138259	036000138252	28.7 x 14.5 x 14.7	1.512/2.3	E5	1.20 x 0.80 x 1.33	20 x 8 =160	0.80
13826-10	10036000138266	036000138269	28.7 x 14.5 x 14.7	1.632/2.42	E5	1.20 x 0.80 x 1.33	20 x 8 =160	0.80
13827-11	10036000138273	036000138276	29.5 x 15.2 x 16.2	1.776/2.57	E5	1.20 x 0.80 x 1.45	20 x 8 =160	0.90

Product Description

KleenGuard™ G60 Endurapro™ Medium Duty Polyurethane Coated Gloves are designed to protect hands when there is a risk of cutting or lacerations to a workers hands and arms, getting the job done when safety and flexibility is key. Each Hand specific pair of gloves is available in a choice of five sizes with colour-coded cuffs offering PPE category 2 classification, high level 3 cut resistance and level 4 abrasion resistance. Perfect for the mechanical, manufacturing and construction environments, in particular metal fabrication, glass handing and automotive assembly. They provide superior protection against cuts and gashes, with HPPE fibers and conform to EN420 Minimum Cuff Length providing protection to wrist areas. Designed to transmit heat away, these gloves allow user breathability and have a unique design with nitrile dots on the palm and nitrile coated finger tips to offer excellent grip, without compromising dexterity and breathability. For other glove sizes, see product codes: 13823, 13824, 13825, 13826 and 13827. 1 bag x 12 pairs hand specific, grey gloves, 11, (24 total)

Product Data Sheet for KleenGuard® G60 Endurapro™ Level 3 Cut Resistant Gloves - Hand Specific / Grey

Features and Benefits

Features	Benefits
EU Abrasion Rating of 4	Better durability, Key measurement on EU scale, Highest score on EU scale
Excellent comfort	Results in improved productivity
Excellent dry Grip	Results in improved productivity, Good grip for light oily applications (better protection), Lowers chance of dropping things in material handling

Product Configuration

Sterile	No	**Latex Free**	Yes
Main Protection Type	Cut	**Application**	Industrial
Ambidextrous	No	**Powdered**	No
Material	Other	**Coated**	Palm Coated
Liner	Y - Other	**Coating**	Polyurethane
Colour	Grey	**Chlorinated**	No
Gauge	13	**Glove Shape**	Hand Specific
Length	230 - 270 mm		

International Standards and Symbols

Solution

Safer Workplace

We know staff safety is your top priority. You can rely on our solutions to protect them, their environment and your important work.



Productive Workplace

The success of your business hinges on your work efficiency. That's why our solutions are designed to help improve your productivity.



Standard R+E

CE Mark

Simple - CAT I, Intermediate - CAT II or Complex - CAT III

CE CAT II

Trade

ISO 9001

This gives the requirements for quality management systems, is now firmly established as the globally implemented standard for providing assurance about the ability to satisfy quality requirements and to enhance customer satisfaction in supplier-customer relationships.

CERTIFIED ISO 9001:2015 COMPANY

Packaging

Unit Of Sale	Case	**Max Weight(kg)**	2.83
Case Dimension(LXWXH)(cm)	29.5 x 15.2 x 16.2	**Inner Pack Material**	Paper

Product Data Sheet for KleenGuard® G60 Endurapro™ Level 3 Cut Resistant Gloves - Hand Specific / Grey

Instructions

The open book pictogram - indicates that the user should read and understand the USER INSTRUCTIONS before using the garment.

Protect from heat and radioactive sources.

Keep Dry. Store in a cool, dry place.

5 cycles of washing in a domestic machine with standard cleaning agents @ 40°C

Information

It is the employer's responsibility to assess the risk of the task to be undertaken and determine the correct choice of personal protective equipment for the task. The manufacturer, Kimberly-Clark, does not accept any responsibility for the incorrect choice or misuse of the personal protective equipment shown in this brochure. All care has been taken to ensure that the information contained herein is as accurate as possible at the time of publication, however errors may occur and legislation concerning personal protective equipment is under constant review and may change in the lifetime of this brochure. Accordingly, the specification for the products may be subject to change. We would advise you to contact INFOFAX if you have any queries concerning the products shown or the suitability of such products for a particular task. Always dispose of used protective equipment in a safe and appropriate manner in accordance with European, National and Local environmental regulations.

Websites	www.kcprofessional.co.uk	**Storage conditions**	Keep dry. Store in a cool dry place and shield from exposure to direct sunlight, intense artificial light or exposure to sources of radiation or ozone.
Durability	This product has a five years shelf life from the date of manufacture.		
Customer Service Number	For more information please contact Customer Service during regular office hours-0870 551 044		
Country of Origin	SRI LANKA		