Specifications

Eaton 100NZ03



Catalog Number: 100NZ03

Fuse-link, LV, 100 A, AC 400 V, D03, gL/gG, IEC, time-delay

General specifications

Product Name
Eaton Bussmann series low voltage D0 fuse

Catalog Number
100NZ03

EAN
5027590428385

Product Length/Depth
43 mm

Product Height
23 mm

Product Width
23 mm

Product Weight
122.2 g

Compliances
CE Marked
RoHS Compliant

Certifications
IEC 60269
EAC
DIN EN 60269-3 (VDE 0636 Part 30)
DIN EN 60269-1 (VDE 0636 Part 10)
DIN VDE 0636-301

Powering Business Worldwide

Product specifications

Type

Fuse

Application

For domestic and general industrial applications

Amperage Rating

100 A

Fuse size

D03

Breaking capacity

50 kA

Rated voltage AC

400 V

Class

Class C gL/gG

Fuse type

NZ03 - Time delay

Accessory/spare part type

100GN03 Red screw cap gauge piece

Utilization category

gG (cable protection/equipment protection)

Color

Red

Interrupt rating

50 kAIC

Fuse indicator

Non-indicating

Connection

Other

Construction

D03

Construction size

D03

Fuse shape

Bottle

Response time

Resources

Brochures

eaton-bussmann-series-d-and-d0-fuses-product-aid-pa132014en-en-us.pdf

Catalogs

CA134002EN

Technical service bulletins

Datasheet - 100NZ03

Time-delay

Suitable for

M30 x 2 (D03) Fuse base

Material

White ceramic body

Voltage rating

400 V

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia