rotronic

Datenblatt - Fiche technique - Data sheet

11.04.5353



ROLINE VGA-Kabel HD15 ST – BU mit Ferritkern, 3,0m

ROLINE HD15 M/HD15 F avec noyaux de ferrite, 3,0m

ROLINE HQ VGA Cable with Ferrite, HD15 M – HD15 F, 3 m

CUSTOMER NO:	REMARK



NOTE:
1) PRIMARY DIM:A.C,D
2) FULLY COPPER FOIL SHIELD 360°.
3) CABLE AND MODEL COLOR:BLACK
4) RoHS COMPLIANT

14	NON UL PVC TUBE OD:2.3MM BLACK 6PCS RoHS
13	UL HEAT SHRINK TUBE BLACK OD:1.5mm RoHS 6PCS
12	UL HEAT SHRINK TUBE BLACK OD:3.0mm RoHS 6PCS
11	SOLDER WIRE RoHS
10	CABLE TIE BLACK 12cm RoHS
9	COPPER W:0.024M RoHS 2PCS
8	JUMP WIRE 24AWG 3CM RoHS
7	FERRITE CORE ø17.5X28.5Xø9.5mm RoHS
6	SCREW:#4-40UNC E:40.2MM BLACK(1101) RoHS
5	INNER JACKET PE RoHS
4	OUTER JACKET PVC 45Pa BLACK(1101) RoHS
3	HDB15F BLUE SOLDER TYPE TERMINAL PLATED GOLD FLASH RoHS
2	HDB15M BLUE SOLDER TYPE TERMINAL PLATED GOLD FLASH W/O 9PIN RoHS
1	UL2919 28#*3COAX+28#7C+AL+MY+B(1/65%)+D BALCK(1101) OD:8.0MM LENGTH RoHS

PINOUT:



REV.	ECR	DESCRIPTION	C.N.	DATE
A		FIRST EDITION	He X.Lin	18/04/09

Rotronic Co., Ltd

TITLE: MONITOR CABLE

CHECK: | CONF.:

DR.: He X.Lin | APPR.:

PART NO.: W28SBK1MFXX

SCALE: | SHEET 1/2 | UNIT MM | SIZE A4 | REV. A

MATERIAL:

FINISH:

WFM-ED-07B

CUSTOMER NO:	REMARK

客戶料號	長度(M)	包裝方式	紙箱尺寸 高(cm)	紙箱尺寸 長(cm)	紙箱尺寸 寬(cm)	裝箱數量
11.04.5352	2.0	吊卡+PE袋(8"*10"*0.08mm)	20	37	30	20
11.04.5353	3.0	吊卡+PE袋(8"*10"*0.08mm)	17	46	30	20
11.04.5356	6.0	吊卡+PE袋(8"*10"*0.08mm)	17	46	30	10
11.04.5360	10	PE袋(9"*14"*0.08mm)	20	32.5	25	5
11.04.5370	20	PE袋(12"*14"*0.08mm)	18	26	26	2
11.04.5380	30	PE袋(14"*16"*0.08mm)	18.5	36.5	30	2





NOTE:
1)線材長度和PE BAG規格參表格.
2)貼紙由業務提供.
3)各長度的線材,紙箱尺寸和裝箱數量參上表格.
4)產品符合RoHS標準.

REV.	ECR	DESCRIPTION	C.N.	DATE
A		FIRST EDITION	He X.Lin	18/04/09

Rotronic Co., Ltd

TITLE: MONITOR CABLE

DRAWN: He X.Lin

PART NO.: W28SBK1MFXX

SCALE | SHEET 2/2 | UNIT MM | SIZE A4 | REV. A

WFM-ED-07B