Specifications

# Eaton 088425



## Catalog Number: 088425

Eaton xEnergy Safety Ci LV systems LV switchgear. Flange, knockout, 18x M16, 4x M20, HxWxD=116x250x23mm

### General specifications

| | |
|---|---|
| **Product Name** | **Catalog Number** |
| Eaton xEnergy Safety Ci flange plate | 088425 |
| **EAN** | **Product Length/Depth** |
| 4015080884255 | 115 mm |
| **Product Height** | **Product Width** |
| 23 mm | 205 mm |
| **Product Weight** | **Compliances** |
| 0.18 kg | RoHS conform |

Powering Business Worldwide

## Product specifications

### Used with

250 mm (enclosure dimensions)
xEnergy Safety Ci
Basic enclosure
Accessory for basic enclosures

### Special features

Sponge-rubber, captive gasket
Quick mounting using wedge-lock fasteners (included as standard)

### Type

Accessory for basic enclosures
Basic enclosure
xEnergy Safety Ci

### Features

Pre-stamping

### Accessory/spare part type

Flanges

### Unit type

Modular system

### Number of connector holes

0

### Suitable for nominal thread (PG) - max

20

### Suitable for nominal thread (PG) - min

16

### Cable entry type

4 x M20
18 x M16

### Degree of protection

Other

### Surface protection

Untreated

### Shape

Straight

## Resources

### Brochures

eaton-xenergy-safety-ci-subway-line-success-story-en-us.pdf

eaton-xenergy-safety-ci-enclosure-brochure-br014001en-en-us.pdf

### Catalogs

eaton-xenergy-ci-safety-catalog-ca015006en-en-us.pdf

### Drawings

eaton-enclosures-flanges-xeffect-ci-enclosure-dimensions-002.eps

### Installation instructions

IL0566

### mCAD model

fl3_1.dwg

fl3_1.stp

### System overview

eaton-insulated-boards-flanges-xenergy-safety-ci-flange-plate-explosion-drawing-005.eps

Material

Plastic

Model

Cable screw gland

Thread type

Metric

Thickness

4 mm

Suitable for cable diameter - max

0 mm

Suitable for cable diameter - min

0 mm

---

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia