PRODUCT-DETAILS

US/U12.2

US/U12.2 Universal Interface, 12-fold, FM



General Information

Extended Product Type	US/U12.2
Product ID	2CDG110065R0011
EAN	4016779650120
Catalog Description	US/U12.2 Universal Interface, 12-fold, FM
Long Description	The Universal Interface has 12 channels which can be parameterised as inputs or outputs, e.g. for connection of conventional push-buttons or LEDs. The LEDs are supplied by the device (1.5 mA), the series resistances are integrated.

Ordering

EAN	4016779650120
Customs Tariff Number	85176200
Minimum Order Quantity	1 piece
E-Number (Switzerland)	305830105
E-Number (Finland)	2815193
E-Number (Sweden)	1750127

Dimensions

Product Net Depth / Length	54 mm
Product Net Height	19 mm
Product Net Width	54 mm
Product Net Weight	0.068 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 EAN	4016779650120
Package Level 1 Depth / Length	23 mm
Package Level 1 Height	65 mm
Package Level 1 Width	92 mm
Package Level 1 Gross Weight	0.08 kg

Technical

Compatible Bus Systems	KNX (TP)
Degree of Protection	IP20
Mounting Type	Flush Mounted

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CDC504056D0201
Declaration of Conformity - CE	2CDK510080D2701
Instructions and Manuals	2CDG941021P0002
RoHS Information	2CDK510080D2701

Environmental

RoHS Status	Following EU Directive 2011/65/EU


Classifications

ETIM 7	EC001584 - I/O device for bus system
ETIM 8	EC001584 - I/O device for bus system
eClass	V11.0 : 27143145
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Home and Building Automation → KNX → Standard Inputs → Universal Interfaces




grau
gris
grey
серый
灰
A
A...L
0 V
schwarz
negro
black
чёрный
黑
noir
ABB
ABB i-bus
US/U 12.2

