Rittal – The System.

Faster – better – everywhere.

Connection cable for power packs – DK 7200.210

Date : Apr 26, 2021

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Connection cable for power packs – DK 7200.210

created: 26.04.2021 build on www.rittal.com/uk-en



Product description

Description:	Connection and extension cable with various connector/jack types (earthing-pin/C13/C14/C19/C20). PVC line, 3-pole.
Design:	Connection cable
Applications:	CMC III power pack CMC III Power Unit

Product description

Cross-section:	1 mm²
Rated voltage:	230 V
Equipment (electrical):	Connector (type): D, earthing-pin (type F, CEE 7/4) Connector (type): F/B (type F, CEE 7/5) Jack/socket (type): IEC 320 socket C13 Length of connection cable: 1.8 m
Packs of:	1 pc(s).
Weight/pack:	0.21 kg
Copper weight (kg per piece):	0
EAN:	4028177164314
Customs tariff number:	85444290

ETIM 7.0:	EC001576
ETIM 6.0:	EC001576
eCl@ss 8.0/8.1:	27060402
eCl@ss 6.0/6.1:	27189253
Product description:	DK Connection cable, L: 1,8 m, 230 V, Connector: CEE 7/4 (type F), CEE 7/5 (type F), Jack: IEC 320 socket C13, For CMC

Approvals

Certificates:	EAC
Declarations:	Declaration of conformity