
Rittal – The System.

Faster – better – everywhere.



SZ 4946.000

C rails 30/15

State: 1/2/2023 (Source: rittal.com/in-en)

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

SZ 4946.000 - C rails 30/15 to EN 60 715 for VX, TS, VX SE

For direct installation on the horizontal enclosure section, on the base configuration rail for CM, on the vertical enclosure section via additional assembly components.



Features

Model No.	SZ 4946.000
Material	Sheet steel
Surface finish	Zinc-plated
Length	955 mm
Installation options	On the inner mounting level of the VX enclosure section On the vertical TS, VX SE enclosure section via snap-on nuts TS 8800.808 or adaptor rails for VX compatibility On the horizontal VX SE enclosure section in the width, top and bottom On the horizontal VX SE enclosure section in the depth at the bottom (without mounting plate) and at the top via snap-on nuts 8800.808. On the horizontal TS enclosure section On base configuration rail for CM
To fit	Enclosure type: VX TS Suitable for width or depth: 1,000 mm
Packs of	6 pc(s).
Weight/pack	4.11 kg

Features

Copper weight (kg per piece)	0
Customs tariff number	73269098
EAN	4028177114630
ETIM 7.0	EC000386
ECLASS 8.0	27400602

Approvals

Approvals	GOST