Specifications







Eaton ESWH28

Eaton G3+ Switched Rack PDU, 1U, Inputs C20, 3.84 kW max, 16A, 200-240V, Outlets 8XC13

General specifications	
PRODUCT NAME	Eaton Rack PDU G4
CATALOG NUMBER	ESWH28
MODEL CODE	EPDU SW 1U (C20 16A 1P)8XC13
EAN	3553340696190
PRODUCT LENGTH/DEPTH	445 mm
PRODUCT HEIGHT	203 mm
PRODUCT WIDTH	43 mm
PRODUCT WEIGHT	3.4 kg
COMPLIANCES	RoHS Compliant EAC CE Marked
CERTIFICATIONS	IEC 60950-1 IEC 61000-6-2 IEC 61000-6-4

Powering Business Worldwide

Electrical input

INPUT CONNECTION	C20
WATTAGE	3.84 kW max
AMPERAGE RATING	16A
INPUT VOLTAGE	200-240V
PHASE	Single-phase
FREQUENCY RATING	50/60 Hz
CORD LENGTH	3m

Electrical output

OUTLETS	(8) C13
NUMBER OF OUTPUTS C13	8
NUMBER OF OUTLETS WITH EARTH PIN	8

Technology & communications

TYPE	Switched Rack PDU
OUTLET CONTROL	Yes
SPECIAL FEATURES	• Remote Site Management • Turn off unused outlets to control commissioning • Phase Metering, Circuit Breaker Current Metering and Input Metering • Circuit Breaker Status Monitoring • Outlet and IT Equipment Switching/reboot /sequencing across A and B feed in Daisy-Chain • Sequence Outlets to avoid in-rush current, to ensure equipment starts in correct order • Hot-Swap Control module with advanced LCD • Optional Temperature/Humidity sensor • Built-in IEC outlet eGrip retention, retains all standard IEC plugs • Daisy-Chain up to 8 PDUs, reduce network infratsructure costs • Power chain monitoring & Real time Intelligence on your Data Center, via Eaton Intelligent Power Manager
ETHERNET INTERFACE	Yes
SERIAL INTERFACE	Yes
SNMP	Yes
COMMUNICATION	HTTP, HTTPS, SSL, Telnet, FTP, SNMP, SMTP, DNS, DHCP, LDAP, RADIUS
MASS CONFIGURATION	Yes

Additional specifications

OPERATING TEMPERATURE	0° to 60°C (32° to 140°F)
MATERIAL	Aluminium
COLOR	Black

Resources

BROCHURES	Eaton UPS Services Quick Guide - EN Eaton UPS and battery services - EN Eaton ePDU G3 - Brochure
COMPLIANCE INFORMATION	EU Declaration of Conformity Eaton ePDUs G3
DECLARATIONS OF CONFORMITY	EU declaration of conformity Rack PDU G4
DRAWINGS	ESWH28 sk-86819-y1
MANUALS AND USER GUIDES	Eaton ePDU G3 - Installation and Connectivity Quick Start

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

Follow us on social media to get the latest product and support information.

© 2025 Eaton. All Rights Reserved.